

AL-KO
QUALITY FOR LIFE

solo
by **AL-KO**


**GARDEN
TECHNOLOGY
2021**



CONTENTS

OUR HISTORY	2	Scythe Mowers	93
FOREWORD	4	Scarifiers	95
AL-KO BATTERY STORY	5	Cultivators & Garden Roller	98
AL-KO SMART GARDENING	13	Combi-Tool	101
Robolinho® Robotic Lawnmowers	21	Grass Trimmers / Brushcutters	103
Riders	31	Hedge Trimmers	107
Lawn Tractors	35	Multi-Tool	114
Lawnmowers	59	Blowers & Vacuums	117
Battery Mowers	65	Handy Battery Tools	121
Electric Mowers	69	Chainsaws	125
Petrol Mowers	71	Wood Splitters	129
Mulch Mowers	85	TECHNICAL DATA	133
Hand Mowers	89	SPARE PARTS	137





MEMBER OF PRIMEPULSE NOW PART OF THE INTERNATIONAL PRIMEPULSE GROUP

With business areas encompassing gardening equipment, air technology and automotive products, the AL-KO KOBER Group has become a global player amongst medium-sized enterprises in Germany. At the same time, the family-owned business operates in over 20 different countries around the world, maintaining its headquarters in Kötz, Bavaria.

The AL-KO KOBER GROUP is also part of the PRIMEPULSE investment group. This high-performance network includes around 60 different associate firms around the world.

PRIMEPULSE pursues a long-term, value-based investment approach and acts as a strategic partner for its affiliated companies, giving them the support they need to achieve their growth ambitions.

Learn more at www.primepulse.com





At the company's Technology Centre in Kötz, the innovative AL-KO gardening appliances are subject to rigorous testing.



Many of our high-quality garden tools and components have been manufactured at the AL-KO factory in Obdach since 1966.



ENGINEERED IN GERMANY – MADE IN AUSTRIA



GERMANY KÖTZ



AUSTRIA OBDACH

QUALITY FOR LIFE AL-KO is proud to champion products carrying the "Made in Austria" label. It's here, in tranquil Obdach in Styria, where we produce most of our garden tools, which are designed in the Swabian region of Bavaria. With the flexibility and security of an owner-managed company, our goal is to meet the requirements of our customers every time.

HIGHEST STANDARDS Our research and development engineers turn hundreds of individual parts into trendsetting garden tools with typical German thoroughness: Materials of the highest quality, ingenious technology, perfect ergonomics and a sure feel for form and detail are the unmistakable hallmarks of our garden tools. The rigorous quality requirement that characterises the AL-KO brand is guaranteed through our comprehensive range of technologies that is consistently designed and implemented by AL-KO development engineers, designers and technicians – from the initial design and prototype construction right through to the end product.

90 YEARS OF AL-KO OUR GARDEN SOLUTIONS ARE CELEBRATING A MILESTONE BIRTHDAY




2021 is a very special year for AL-KO Gardentech, because we can look back with pride at 90 years of experience, development and competence in the area of innovative garden tools. Since we were founded in 1931, it has always been our goal to work on the cutting edge today to develop products and solutions for tomorrow. From the very beginning we have always focused on the person, their individual needs and the question of how gardening can be made even smarter and more convenient – all in line with the motto “Quality for Life”.

At AL-KO Gardentech we've made it our task to continuously develop new smart, digital and intelligent garden solutions. Driven by the spirit of innovation and an awareness of our responsibilities towards people and

nature, we create convenient garden aids with sustainable technology. Whether robotic mowers, lawnmowers, tools for soil cultivation or for tree and hedge care – our range has the ideal tool for every need and challenge in the garden.

We look forward to supporting you through this gardening year and say thank you for 90 years of trust in AL-KO. Have fun browsing, discovering our new products and, of course, when working “smart” with the AL-KO cordless garden tools.

Peter Kaltenstadler
CEO of AL-KO KOBER SE



THE BENEFITS OF BATTERY POWER


BATTERY TECHNOLOGY IN YOUR GARDEN: THE QUIET REVOLUTION



Clean



Cordless



Quiet



Odour-free



Zero maintenance



High-performance



Lightweight



Batteries available
separately
Flexibility



The battery fact sheet

State-of-the-art, high-performance batteries are used throughout our day-to-day lives – whether it's in our smartphones, laptops or in our digital cameras. But batteries are also increasingly used in gardening equipment, bringing many benefits. We have gathered some of the most exciting facts in this area:

Pssst:

No motor noise



You can trim hedges with areas of 720 m² on a single charge. This equates roughly to:

172

table tennis tables



LI-ION



A pretzel costs about as much as

15-20

complete battery charges

A single charge of the Energy Flex 5 Ah battery costs roughly 4 pence.

An Energy Flex battery can hold as much power as

15.1 iPhone 11 batteries



Longevity

Easy Flex

Duration of half-time in a football match



Energy Flex

Duration of a normal football match



Lithium-ion batteries are used in...

Smartphones



Electric cars and hybrid vehicles



Laptops



Cameras



E-bikes




Electric wheelchairs



Depending on the lawnmower model, an area of lawn of

250 m² to 500 m²

can be mown on a single charge



Simply light as a feather,

because an Energy Flex battery weighs as much as a -week-old Golden Retriever

2



An Easy Flex battery weighs just as much as:


2 blocks of chocolate

2



Good durability at high and low temperatures

Between 5°C and 35°C is the ideal temperature range for lithium-ion batteries



Charging up a completely dead 45 Wh battery (Easy Flex) requires as much energy as is needed to heat 0.45 litres of water in a kettle to 100°C.



FEATHERLIGHT BATTERY POWER

EASY FLEX

CORDLESS ENERGY FOR MORE
THAN A DOZEN DIFFERENT APPLIANCES

DISCOVER FLEXIBLE GARDENING PLEASURE!

The growing Easy Flex range now includes over a dozen appliances, which can be used with the same kind of battery.

Tip: The Easy Flex lawnmower comes with two batteries and a double battery charger so that you can save money when purchasing the additional Easy Flex appliances without the battery.



EASY FLEX

BATTERIES AND CHARGERS

B 50 Li Battery

Lithium-ion, 20 V max. (2.5 Ah)

Art. no. 113 559

EAN no. 400 371 805 7591



B 100 Li Battery

Lithium-ion, 20 V max. (5.0 Ah)

Art. no. 113 698

EAN no. 400 371 805 9755



PERFECTLY EQUIPPED

Products from the Easy Flex range will leave you perfectly equipped for small to medium-sized gardens.



C 30 Li Charger

Lithium-ion, 20 V max. (3.0 Ah)

Art. no. 113 560

EAN no. 400 371 805 7607



C 30 Li Double Charger

Lithium-ion, 20 V max. (3.0 Ah)

Art. no. 113 561

EAN no. 400 371 805 7614



C 60 Li Fast Charger

Lithium-ion, 20 V max. (6.0 Ah)

Art. no. 113 858

EAN no. 400 371 806 1703



NEW

DISCOVER THE ENTIRE EASY FLEX RANGE



LAWNMOWER
| PAGE 66



LEAF BLOWER
| PAGE 118



WEED SWEEPER
| PAGE 123



PLANT SPRAYER
| PAGE 122



HEDGE TRIMMER
| PAGE 111



LED SPOTLIGHT
| PAGE 122



HIGH-PRESSURE CLEANER
| PAGE 121



TRIMMER
| PAGE 105



PRUNER
| PAGE 124



**LONG REACH
HEDGE TRIMMER**
| PAGE 111

SITE RADIO
| PAGE 122



HANDSAW
| PAGE 123



HIGH-PERFORMANCE BATTERY POWER


ENERGY FLEX

MAXIMUM COMFORT AND FLEXIBILITY

POWERFUL MACHINES FOR THE PERFECT GARDEN

The great variety of our Energy Flex range provides the perfect support for ambitious amateur gardeners on the search for a wide selection of battery-operated tools.

Tip: The battery is included with the lawnmower here as well, allowing you to save money since you won't have to buy an extra battery for any additional Energy Flex battery appliances.



READY FOR ANYTHING

The Energy Flex range is perfect for all types of gardeners and is ideal for use on medium-sized to large gardens.

ENERGY FLEX BATTERIES AND CHARGERS

B 150 Li Battery

Lithium-ion, 40 V max. (4 Ah)

Art. no. 113 280

EAN no. 400 371 805 5283



B 200 Li Battery

Lithium-ion, 40 V max. (5 Ah)

Art. no. 113 524

EAN no. 400 371 805 7096



C 130 Li Charger

Lithium-ion, 40 V max. (3.0 Ah)

Art. no. 113 281

EAN no. 400 371 805 5290



DISCOVER THE ENTIRE ENERGY FLEX RANGE



LAWNMOWERS
| FROM PAGE 66




CHAINSAW
| PAGE 127



SCARIFIER
| PAGE 96



**LEAF BLOWERS
& VACUUMS**
| FROM PAGE 118



HEDGE TRIMMERS
| PAGE 111



TRIMMERS
| PAGE 105



MULTI-TOOL
| PAGE 115

PERFECT POWER FOR YOUR GARDEN

WHY WE SPECIFICALLY OFFER 20 V AND 40 V UNITS

Does high voltage mean high power? It sounds attractive, but unfortunately it's not the case. The power of your garden tool isn't described by the volts or ampere-hours alone. The volt is merely a way of measuring voltage – the tool watt-hours specifications are much more important. Watt-hours are calculated by multiplying voltage with capacity (volts times ampere-hours) and describe the energy content and thus also the operating time until the battery needs

At AL-KO, we always keep our users needs in view, so we have specifically decided to offer batteries with up to 40 V and up to 180 Watt-hours. Because they offer advantages that are perfectly matched with the requirements of

- | Optimal performance for demanding use
- | Long operating times
- | Perfectly lightweight construction
- | Easy-to-handle size



$$\begin{array}{ccccc} \text{VOLTS} & \times & \text{AMPERE-HOURS} & = & \text{WATT-HOURS} \\ \text{V} & & \text{Ah} & & \text{Wh} \end{array}$$

Higher voltages don't necessarily equate to higher usefulness. On the contrary, this can only be achieved by using more battery cells in the battery and is therefore inevitably associated with disproportionately higher weight, a larger, bulkier housing and significantly higher costs.

We want to make your gardening easier and more pleasant, which is why we only use the best solution for you: Smart battery technology of up to 40 V, easy to use for pure gardening enjoyment.

So we always have exactly the right type of drive and the perfect power

TIP OPTIMAL BATTERY STORAGE

The battery should be stored in a dry and frost-free place. Remember to check the battery charge level after extended storage (every 1-2 months). Lithium-ion batteries can discharge fully when not used and should therefore be charged on a regular basis.



WE HAVE THE RIGHT SOLUTION FOR EVERY NEED

Our
recommendation

AL-KO EASY FLEX

20 V
5 Ah

approx. 90 Wh

- + Perfectly optimised
- + Optimised, adequate performance
- + Highly lightweight and manoeuvrable
- + Value for money

For small to medium-sized areas

AL-KO ENERGY FLEX

40 V
5 Ah

approx. 180 Wh

- + Perfectly optimised
- + Unrivalled performance
- + With one battery for the entire year
- + Full power

OTHER MANUFACTURERS

>40 V

- Big and heavy
- Bulky
- Strenuous to use
- Expensive

AL-KO BATTERY BELT WITH THE BBA 40 ADAPTER

CARRY THE BATTERY COMFORTABLY ON THE BELT

Hand-held products are becoming lighter because the battery can be carried on the belt rather than in the tool.

MAKING GARDENING WORK EVEN EASIER

- | Up to a 30% weight reduction
- | Reduces strain on your arms
- | Optimum freedom of movement thanks to one-click disconnection of the belt and tool
- | Comfortable to carry thanks to the special padding
- | Stress-free gardening work
- | The most lightweight tools on the market
- | Ready to use out-of-the-box



ENERGY FLEX



ENERGY FLEX BATTERY BELT WITH ADAPTER BBA 40

Art. no. 113 786 / EAN no. 400 371 806 0706

FOR THE FOLLOWING ENERGY FLEX PRODUCTS:



Leaf blower
LB 4060



Leaf blower/vacuum blower
LBV 4090



Trimmer
GT4030



Hedge trimmers
HT 4055



Chainsaw
CS 4030



Multi-tool
MT 40

UP TO
30%
WEIGHT REDUCTION

for even more efficient gardening work
thanks to the AL-KO battery belt.

SMART GARDENING

INGENIOUS GARDENING SOLUTIONS

13 | **solo** by AL-KO

THE AL-KO SMART GARDEN: OUR MISSION TO KEEP YOUR GARDEN LOOKING FABULOUS

Sophisticated and intelligent solutions that will make tending to your garden a breeze.

Having your own garden is for many people an indicator of quality of life, since it provides a retreat away from the stress of everyday life. Gardening brings a lot of joy to many, especially when it's made more and more effortless through the use of intelligent solutions. That is the vision of our Smart Garden concept: Your garden in all its glory and the joy of gardening without unnecessary expense or effort. Right from the beginning, we have developed our gardening tools with a high degree of care, creativity and technical perfectionism, making sure to anticipate the needs of users ahead of time.

Now, with the AL-KO Smart Garden, we are going a step further, combining our sophisticated gardening tools with intelligent, wide-reaching solutions for keeping your garden looking its best.

With the AL-KO inTOUCH Smart Garden app, now very conveniently available on your Smart Watch, phone or tablet and our AL-KO Smart Cloud, for example, you can optimise tasks, automate routines to suit your preferences, manage devices such as the Robolinho® W from anywhere, and get useful information relating to your devices and your garden. This saves not only effort and resources, but also your valuable time. On the following pages we will go through exactly how it works. For a simply wonderful garden. Simply smart!



DISCOVER OUR SMART
WORLD OF GARDENING.



INGENIOUSLY CLEVER GARDENING WITH THE ROBOLINHO® W

**ACHIEVE THE PERFECT GARDEN IN 3 STEPS WITH
THE ROBOLINHO® W:**

1

Download the AL-KO
inTOUCH Smart Garden
app and launch the
connection wizard.

2

Robolinho®
personalising.

3

Enter your WiFi details to
establish the connection
between your WiFi
system and the AL-KO
Smart Cloud.



Harness the full digital potential of our sophisticated and powerful system – made easy thanks to the AL-KO inTOUCH Smart Garden app and our Smart Cloud. Here are some of the key features:

Add your Robolinho® W to your app and define a 'nickname' for it. Some of our favourites for your inspiration:

**Robby, Sir Chopolot,
Noah the Mowah or Snippy**



Configure

Operate the Robolinho® W from anywhere with ease using the app, and easily configure mowing times, the rain sensor, eco mode, starting points and more.



Smart servicing and repairs*

The Robolinho® W's error reports can be sent to the dealer using the app so that remote support can be provided (similar to reading the fault memory in a car).


Robolinho®



The Robolinho® W also has a 'share' feature, either for when you're going on holiday and want to share it with family or a neighbour or if you need it servicing and want to share it with your dealer, enabling virtual access to the device.

Control your Robolinho® hands-free using its nickname, add it to task groups and routines, query its status, and easily manage its operation times and other properties by voice command.

"Alexa! Tell AL-KO that the Robolinho® needs to mow"



The choice is yours

Your Robolinho® W can also be operated over IFTTT with voice commands using Google Assistant.

Updates

Keeping your appliance fresh*

With our software updates, you can keep your Robolinho® W up to date at all times and benefit from new and improved features.



Stay informed at all times


The Robolinho® W reports its status to the AL-KO inTOUCH Smart Garden app and immediately provides guidance when your input is needed – through push notifications if desired.*



You can now connect, automate and control your Robolinho® W very easily with other devices and services, thanks to the AL-KO IFTTT service (IF THIS THEN THAT) – even across web services.

- > To the AL-KO IFTTT service:
ifttt.com/alko_smart_garden
- > More information and use cases on pages 17-18

* Connection to the AL-KO Smart Cloud required



SMART SCENARIOS WITH THE AL-KO IFTTT SERVICE


NUMEROUS WAYS TO CONNECT

The smart connected Robolinho® W model robotic lawnmowers can be controlled and automated via IFTTT routines. There are two ways to connect the Robolinho® with other web services and devices:

- | If Robolinho® receives a user-selected signal ("trigger") from another web service or device, the Robolinho® carries out a user-defined action.
- | When Robolinho® reaches a user-defined state, a user-defined action of another web service or device is triggered.

Thanks to the underlying concept of IFTTT it is possible to define individual scenarios. Synchronise your Robolinho®'s activities with a range of different IFTTT services, e.g. the weather service (stop mowing the lawn during a storm), an irrigation service (stop mowing when the lawn is being watered) or even sensors such as cameras or presence detectors (stop mowing if there's someone on the patio).

PERSONALISED SMART HOME
by connecting your Robolinho®
with hundreds of web services and
devices





DISCOVER OUR SMART
WORLD OF GARDENING.

EXAMPLE APPLICATIONS



CONTROLLING THE ROBOLINHO® DEPENDING ON THE WEATHER

The moment the weather service reports a storm or thunderstorm, the Robolinho® receives the command to stop mowing and return to the base station. When the sun comes out again, the Robolinho® starts mowing.





Should your Robolinho® mow during the morning in daylight, it will receive a command from the weather service to start mowing as soon as the sun rises. Should your Robolinho® mow only in the evening until sunset, it will receive a command from the weather service to stop mowing as soon as the sun sets.




CONTROLLING THE ROBOLINHO® ACCORDING TO THE IRRIGATION STATUS

By connecting the Robolinho® to a compatible irrigation system via IFTTT, it is possible to instruct the Robolinho® to mow only at the end of the irrigation cycle. When irrigation starts, the Robolinho® receives the command to stop mowing and return to the base station.



CONTROLLING THE ROBOLINHO® USING THE OUTDOOR CAMERA

If the outdoor camera detects a movement on the lawn, such as children playing, it sends a signal to the Robolinho® to stop mowing and return to the base station.



ROBOLINHO®, TAKE A BREAK NOW

KEEPING YOUR HANDS FREE FOR LIFE'S IMPORTANT THINGS

In many situations you may have your hands full or be pressed for time. Thankfully your diligent Robolinho® W can be used easily by voice command via Amazon Alexa. Simply say the command and your robot can start mowing the lawn, take a break, go back to the base station and complete a range of other everyday tasks. This way, you'll have more time to focus on more important things.

Alexa! Ask AL-KO how the Robolinho® is doing.
General status query

Your Robolinho® is in really good shape! It has 72 per cent battery life, it's currently mowing the lawn, and its current task has another 37 minutes to go.

General status query

Alexa! Tell AL-KO that the Robolinho® can go home now.
Sending back to base station

Sending the Robolinho® home.
Sending back to base station

Alexa! Tell AL-KO to start the Robolinho® now / to send it on a break.
Start/stop

Starting/stopping the Robolinho®.
Start/stop

Alexa! Tell AL-KO that the Robolinho® should mow the lawn on Mondays at 10 a.m. for two hours.
Setting lawnmowing times

Lawnmowing time set for Monday at 10 a.m. for 120 minutes.
Setting lawnmowing times

EVEN SMARTER GARDENING THANKS TO THE AL-KO INTOUCH SMART GARDEN APP


A MUST-HAVE FOR EVERY GARDEN OWNER

TEST NOW,
even without a device

AL-KO inTOUCH Smart Garden

GET IT ON
Google Play

Download on the
App Store



Trying it out made easy

Demo mode

The demo mode makes it possible to test how easy and intuitive it is to control the Robolinho® by inTOUCH app, Alexa and IFTTT, even without a device.

AL-KO[®] inTOUCH

Simple operation via a smart watch



Pair an AL-KO device in the app

Using the inTOUCH app you can easily pair any AL-KO device (even without WLAN connectivity) in the app with just a few clicks – the smart way to register a product



Easy access to the AL-KO web shop

Quickly find compatible accessories



Garden care tips



Extended warranty

Look for dealers in your area to service & maintain your Robolinho to qualify for up to 5 years extended warranty

Specific tips and help on using and caring for the device





AL-KO Works with **IFTTT**



AL-KO
in TOUCH



ROBOTIC LAWMOWERS

ROBOLINHO[®]



Hard at work with
guaranteed safety



Super quiet, super safe,
super smart



A real mover even in the
daintiest of gardens



$\leq 45^\circ$



FOR EVERY LAWN AND FOR EVERY REQUIREMENT

| PERFECT IN ALL DETAILS



SERVICE AND MAINTENANCE

Our knowledgeable service partners will be happy to assist you with installation, repair, winter storage and a personalised annual service.

NARROW PASSAGES

A regular trim keeps the lawn in perfect condition at all times. Thanks to its compact design and intelligent control of the Robolinho®, it can deal with passages as narrow as 60 cm.

AT FULL CHARGE

When its charge is low, the Robolinho® automatically heads back to its base station. Our robotic lawnmower garage protects it perfectly against wind and weather, and it can be accessed there at any time thanks to the solid, folding design.



THE VERY BEST IN SAFETY

Five independent sensors, in conjunction with a sophisticated safety concept, ensure comprehensive operational safety at all times. During day-to-day operation, the Robolinho® identifies obstructions and reliably evades them.

COMPATIBLE WITH ALEXA, IFTTT AND AL-KO INTOUCH

You can monitor and configure your Robolinho® easily using the AL-KO inTOUCH app, Amazon Alexa and IFTTT. You can also use these to link up other services and appliances.



DOUBLE SHARPNESS ON BOTH SIDES

The two hardened blades are rotated alternately in clockwise and anti-clockwise operation, which keeps them sharp for twice as long. And by simply flipping over the blades, you can double their service life a further time. The unique double blade technology with clearing blades delivers a perfect cut.

WEATHER-INDEPENDENT

The built-in rain sensor gives you the choice: mow the lawn in the rain or take a break.

PERFECT CLIMBING ABILITY

Thanks to the device's powerful drive system and high-grip wheel tread, the Robolinho® can master gradients of up to 45% (24 degrees) with ease. The two drives with the robust wheel tread, ensure a small turning radius and excellent traction.



EASY TO USE

The intuitive control panel makes programming of the Robolinho® simple. Simply enter the days and times you want the Robolinho® to be active, and you're done.



EASY TO INSTALL, YOU'LL BE UP AND RUNNING IN NO TIME

YOUR PATH TO FULLY AUTOMATIC LAWN CARE

INSTALLATION SERVICE

The installation can be even more convenient if you have an AL-KO specialist dealer visit your property to complete the install

UNDISTURBED NIGHTS

Our prickly friends mostly move around in the dark. Out of consideration for them, it's better to leave your Robolinho® in its base station at night.



LAYING CABLE

Lay the boundary cable around the mowing area.

MOVE AROUND OBSTACLES

Exclude obstacles such as beds and pools using the boundary cable

SMART GARDENING

Robolinho® connects to the AL-KO Smart Cloud over WiFi either directly with the inTOUCH app on your smartphone or through your WiFi home network over the internet. This allows you to monitor, configure and operate the Robolinho® from

anywhere in the world, whether by using the AL-KO inTOUCH app, using Amazon Alexa, or using the Smart Cloud service. In addition, you can benefit from regular software updates for your Robolinho® as well as the ability to share your Robolinho®

with family, neighbours and your preferred solo by AL-KO dealer, so that they can monitor or provide support to your Robolinho® when you're not around.



DISCOVER OUR SMART
WORLD OF GARDENING.



ROBOTIC LAWNMOWER

PROTECT BEES

There are fewer and fewer places that are safe for bees in the outdoors. You can help them by giving them a separate area of their own.

SETTING UP THE BASE STATION

Installation of the base station in a location which is protected from the weather.

NARROW PASSAGES

Narrow corridors of only 60 cm can be managed by the Robolinho® without any issues.



ROBOLINHO® ROBOTIC LAWNMOWER PREMIUM

ROBOLINHO® 450 W




NEW

- | **Ideal for smaller lawns**
- | Gets into the smallest corners and through narrow passages thanks to its compact design and intelligent control
- | Easy to operate
- | Double blade technology with clearing blades



Art. no. 127 618

For areas of up to 450 m²



ROBOLINHO® 700 W




- | **Small, compact and agile**
- | High ground clearance for effortless mowing
- | Double-bladed mower deck with reversible blades
- | Longer service life thanks to right-hand and left-hand rotation
- | 45% (24°) climbing ability



Art. no. 127 569

For areas of up to 700 m²



ROBOLINHO® 1200 W




- | **Narrow passages from 60 cm in width**
- | Six individual starting points can be configured
- | Easy to reach far-away areas in complex gardens
- | Smart rain sensor
- | Reliable and convenient



Art. no. 127 570

For areas of up to 1,200 m²



ROBOLINHO® 2000 W




- | **Efficient operation with a large area coverage**
- | Fully automatic operation
- | Powerful and surprisingly quiet drive system in conjunction with high ground clearance and the tried-and-tested mulching blade system
- | Controlling the device from the simple display or your smartphone via inTOUCH couldn't be easier



Art. no. 127 571


For areas of up to 2,000 m²



engineered in 
GERMANY

made in 
AUSTRIA

PREMIUM

ROBOTIC LAWNMOWERS	Robolinho® 450 W 	Robolinho® 700 W 	Robolinho® 1200 W 	Robolinho® 2000 W 
Working area*	Max. 450 m ²	Max. 700 m ²	Max. 1,200 m ²	Max. 2,000 m ²
Climbing ability	35% / 19°	45% / 24°	45% / 24°	45% / 24°
Cutting width	20 cm	22 cm	23 cm	23 cm
Mowing time/charging time (max.)	50/45 min	60/50 min	140/90 min	240/170 min
Dimensions (L x W x H)	600 x 400 x 290 mm	600 x 400 x 290 mm	625 x 440 x 290 mm	625 x 440 x 290 mm
Cutting height adjustment	25–55 mm, manual	25–55 mm, manual	25–55 mm, manual	25–55 mm, manual
Volume in mowing mode	Max. 60 dB (A)	Max. 60 dB (A)	Max. 60 dB (A)	Max. 60 dB (A)
Dual-bladed technology	✓	✓	✓	✓
Rain sensor	✓	✓	✓	✓
Free choice of entry points	3	3	6	9
Installation of optional Second base station	✓	✓	✓	✓
WiFi + Smart Cloud Connect**	✓	✓	✓	✓
Art. no. / EAN no.	127 618 / 400 371 806 1970	127 569 / 400 371 806 0515	127 570 / 400 371 806 0522	127 571 / 400 371 806 0539

*The maximum area may be reduced by the layout of the garden as well as the number and size of the obstacles.

** incl. integration with the AL-KO inTOUCH app (available for iOS and Android), Amazon Alexa, IFTTT



YOUR BENEFITS AT A GLANCE

- | Robolinho® devices are very quiet when in operation.
- | The Robolinho® devices are incredibly eco-friendly thanks to their low energy consumption.
- | The grass clippings don't have to be disposed of, and thus can be used as natural fertiliser (mulch).
- | It makes the grass thicker, stronger and more attractive.
- | Easy installation and reliability provided by easy-to-use user interface offers greater freedom.
- | A comprehensive safety system with several sensors ensures protection in all scenarios.



AL-KO
in TOUCH


WiFi

AL-KO

Works with
IFTTT

DISCOVER OUR SMART
WORLD OF GARDENING.






ACCESSORIES



ROBOTIC LAWNMOWER GARAGE

The transparent canopy gives all Robolinho® robotic lawnmowers the very best protection against the elements during charging and downtimes without hindering the robot's functionality. What's more, the practical folding mechanism ensures easy access to the operating panel at all times.

Folding, suitable for all Robolinho® robotic lawnmowers.
Art. no. 113 350 / EAN no. 400 371 805 5672



BASE STATION INCL. BASE PLATE

Robolinho® 700 W/1200 W/2000 W
Art. no. 127 516 / EAN no. 400 371 835 1897



CABLE REPAIR KIT

Robolinho® 700 W/1200 W/2000 W
Art. no. 127 327 / EAN no. 400 371 805 5139



REINFORCED LOOP WIRE

Roll 300 m
Art. no. 127 335 / EAN no. 400 371 805 5924



LOOP WIRE

150 m
Art. no. 119 462 / EAN no. 400 371 835 1484



GROUND NAILS

90-piece
Art. no. 119 461 / EAN no. 400 371 805 9571



REPLACEMENT BLADES (3x2-piece)

Robolinho® 700 W/1200 W/2000 W
Art. no. 127 465 / EAN no. 400 371 805 8574



CUTTER DISC INCL. BLADE

Robolinho® 450 W Ø 200
Art. no. 127 466 / EAN no. 400 371 805 8581

Robolinho® 700 W Ø 220

Art. no. 127 467 / EAN no. 400 371 805 8598

Robolinho® 1200 W/2000 W Ø 230

Art. no. 127 544 / EAN no. 400 371 806 0287




150M CABLE LAYING KIT

1 x loop cable 150 m
1 x 90-piece ground nail set
5 x cable connectors
Art. no. 127 513 /
EAN no. 400 371 805 9540

300M CABLE LAYING KIT


2 x loop cable 150 m
3 x 90-piece ground nail set
10 x cable connectors
Art. no. 127 514 /
EAN no. 400 371 805 9557





RIDE-ON LAWNMOWERS **RIDERS**





| LOW-EMISSION MOWING



OUR NEW BATTERY RIDE-ON LAWNMOWER

RIDE-ON LAWNMOWERS



PREMIUM

NEW

R 85.1 Li



- | With a powerful battery drive
- | Smooth electric drive
- | Large lithium-ion battery for long-lasting operation
- | Increased comfort through quiet mowing
- | Close to edge mowing on both sides
- | Automatic adjustment of the blade speed in difficult conditions
- | Optimised, responsive steering
- | Adjustable seat for better ergonomics
- | Grass catcher box fill level indicator
- | Convenient recharging via a power socket

Art. no. 127 617

YOUR ADVANTAGES

- ✓ POWERFUL LITHIUM-ION BATTERY FOR UP TO 150 MINUTES OF MOWING
- ✓ CRUISE CONTROL
- ✓ REVERSE MOWING AT FULL SPEED
- ✓ ERGONOMIC, ADJUSTABLE SEAT
- ✓ MULCH PLUG INCLUDED AND OPTIONAL REAR DEFLECTOR
- ✓ LARGE GRASS CATCHER BOX WITH TELESCOPIC LEVER
- ✓ FILL LEVEL INDICATOR WITH ACOUSTIC SIGNAL

ACCESSORIES



DEFLECTOR

For the R 85.1 Li battery ride-on lawnmower
Art. no. AK81EE08000



PETROL RIDE-ON LAWNMOWERS

| SMALL, PRECISE AND MANOEUVRABLE



YOUR ADVANTAGES

- ✓ COMFORTABLE, ADJUSTABLE SEAT
- ✓ EASY-TO-USE CONTROLS
- ✓ POWERFUL AL-KO PRO OR BRIGGS & STRATTON ENGINE
- ✓ FILL LEVEL INDICATOR WITH ACOUSTIC SIGNAL
- ✓ HYDROSTATIC DRIVE WITH FOOT PEDAL *
- ✓ PATENTED REVERSE MOWING AT FULL SPEED
- ✓ LARGE GRASS CATCHER BOX WITH TELESCOPIC LEVER
- ✓ LOW OVERALL WIDTH OF MAX. 80 CM
- ✓ MANOEUVRABLE THANKS TO THE GEARED STEERING *
- ✓ ANTI-SLIP STEERING WHEEL
- ✓ OPTIONAL DEFLECTOR

* not available for all models



COMFORT

R 7-63.8 A



Small is beautiful

- 62 cm cutting width
- 4 forward / 1 reverse gears
- Ideal for narrow garden passages with a total width of just 80 cm
- Manoeuvrable and compact
- 4.2 kW AL-KO Pro engine
- Fill level indicator with acoustic signal

Art. no. 127 486



PREMIUM

R 7-65.8 HD



Manoeuvrable and fun to use

- 62 cm cutting width
- Hydrostatic drive
- Ergonomic controls
- Geared steering
- Grass catcher box fill level indicator
- Powerful Briggs & Stratton engine
- Infinitely variable transmission
- Patented reverse mowing at full speed

Art. no. 127 487



ACCESSORIES



DEFLECTOR

For the R 7 ride-on lawnmower

Art. no. 127 534

EAN no. 400 371 805 9793

EVERY
THING
AT A
GLANCE



	COMFORT	PREMIUM	PREMIUM
	PETROL	PETROL	BATTERY
RIDE-ON LAWNMOWERS	R 7-63.8 A	R 7-65.8 HD	R 85.1 Li
Engine	AL-KO Pro 225 (1 cylinder)	Briggs & Stratton 950 E (1 cylinder)	Brushless
Power	224 ccm / 4.2 kW / 3,000 rpm	223 ccm / 4.0 kW / 3,000 rpm	72 V max. / 31 Ah / lithium-ion 2,232 Wh/hr
Working width / mowing circle radius	62 / 63 cm	62 / 63 cm	81 / 50 cm
Recommended area	2,500 m ²	3,000 m ²	6,000 m ²
Maximum operating time	–	–	150 mins (12 hour charging)
Cutting height/height adjustment	2.5 – 7.5 cm / central, 4-stage	2.5 – 7.5 cm / central, 4-stage	2.5 – 13 cm / central, 10-stage
Transmission (forward/reverse)	Gearbox (F: 4 / R: 1)	Foot hydrostatic (T1)	E-Drive
Speed forwards/reverse	0-4.5 / 0-1.5 km/h	0 – 6.2 / 0 – 3.8 km/h infinitely variable	0 – 6.5 / 0 – 5.0 km/h infinitely variable
Mowing deck / blades	Sheet steel / 1 blade	Sheet steel / 1 blade	Sheet steel / 2 blades
Grass catcher box	130 L	130 L	190 L
Wheel Ø (mm front/rear)	11 x 4.0-5 / 13 x 5.0-6	11 x 4.0-5 / 13 x 5.0-6	11 x 4.0-5 / 13 x 5.0-6
Art. no./EAN no.	127 486 / 400 371 805 9304	127 487 / 400 371 805 9298	127 617 / 400 371 806 1871



GARDEN TRACTORS

GET A LOT DONE, FAST AND EFFORTLESSLY



Lawnmowing for the most
discerning standards



Perfect mowing results
on any terrain



For all lawn
types



POWERFUL LAWN TRACTORS

| THE STRONGEST HORSES IN THE STABLE





Majestic view

You'll feel like royalty in this comfort seat – it's so comfortable, you'll never want to leave it again!


Easy on, easy off

Thanks to the low entry level, getting on to the tractor is effortless, so you can start mowing right away.



The perfect cut

The high-performance AL-KO or Briggs & Stratton engines provide power to the steel twin blade cutter decks.



Big wheels
keep on
turning

XXL wheels

for mowing that
protects the lawn.

Twice as sharp!

The twin bladed mower decks with a cutting width of

93 - 125 cm

can be removed in a matter of minutes for cleaning or maintenance!



Devilishly powerful

AL-KO

14.4 kW

Twin-cylinder engine with integrated cruise control allows uniform and comfortable moving in all situations.*

Strong performance

The strong construction, reinforced frame and cast-iron axle ensure the durability of the tractor and enable high mowing precision.*



You can rely on our quality!

With our quality promise "Engineered in Germany & Made in Austria", there's nothing to stand in the way of years of enjoyable mowing.

engineered in
GERMANY

made in
AUSTRIA

Nimble through the garden slalom

With the smooth steering and hydrostatic transmission you'll manoeuvre through your garden and around all obstacles both forwards and backwards.



* not available for all models

solo by AL-KO | 38

TRACTORS

COMFORT

| THE MAJESTIC LAWNMOWING
MACHINES



YOUR ADVANTAGES

✓ **LARGE GRASS CATCHER BOX WITH TELESCOPIC LEVER / GAS STRUT ASSIST* & ACOUSTIC FILL LEVEL INDICATOR**

✓ **OPTIONAL MULCH & REAR DISCHARGE FUNCTION**

REAR COLLECT
TRACTORS



SIDE DISCHARGE
TRACTORS

✓ **SIDE DISCHARGE WITH OPTIMAL DEPOSIT OF CUTTINGS**

✓ **CONVERT TO MULCHING FUNCTION WITHOUT NEEDING ANY TOOLS**

* not available for all models

✓ **PATENTED FRAME, ENSURING DURABILITY**


✓ **ERGONOMIC WORKING POSITION, WITH EASY MOUNT / DISMOUNT**

✓ **MOWING RIGHT UP TO THE EDGES**

✓ **POWERFUL AL-KO PRO OR BRIGGS & STRATTON ENGINES**

✓ **ANTI-SLIP STEERING WHEEL**

COMMON
BENEFITS



✓ **BROAD WHEELS FOR OPTIMAL TRACTION**

✓ **MOWER DECK CAN BE REMOVED IN JUST A FEW MINUTES**

✓ **PATENTED FREEWHEEL MECHANISM FOR PROTECTING THE TRANSMISSION UNIT**

✓ **ELECTROMAGNETIC BLADE BRAKE CLUTCH**

✓ **FOOT HYDROSTATIC**




TRACTORS COMFORT

T 15-93.9 HDS-A

Compact and versatile

- | 93 cm working width
- | Powerful AL-KO Pro engine (8.5 kW)
- | Hydrostatic drive
- | Ideal for medium-sized lawns
- | Mulching insert and numerous optional attachments
- | An all-rounder during the summer and winter

Art. no. 127 574



YOUR ADVANTAGES

- | Convert to mulching function without needing any tools
- | Mower deck can be removed in a few minutes
- | Side discharge with optimal deposit of cuttings

SIDE DISCHARGE TRACTORS

DISCOVER INCREDIBLE MOWING PLEASURE

engineered in 
GERMANY

 made in
AUSTRIA

T 22-111.7 HDS-A V2

Wide cut and powerful



- | Powerful twin-cylinder AL-KO Pro engine (13kW)
- | 110 cm wide mowing deck
- | With mulching function
- | Effective and fast results on large areas
- | Large, wide tyres for excellent traction without leaving wheel ruts
- | Easy to activate and de-activate mower blades thanks to the electromagnetic blade brake clutch
- | The mowing deck's quick-release system allows for all year round use


Art. no. 127 445





COMFORT

SIDE DISCHARGE TRACTORS	T 15-93.9 HDS-A 	T 22-111.7 HDS-A V2 
Engine	AL-KO Pro 450	AL-KO Pro 700 V2
ccm / kW / rpm	452 / 8.5 / 2,600	708 / 13 / 2,700
Working width	93 cm	110 cm
Area coverage	7,000 m ²	10,000 m ²
Cutting height/height adjustment	3 – 8 cm / central, 6-stage	3 – 8 cm / central, 6-stage
Blade brake clutch	Electromagnetic	Electromagnetic
Number of cylinders	1 cylinder	2 cylinder
Transmission	Foot hydrostatic (T2)	Foot hydrostatic (T3)
Wheels F/R (inches)	15x6.0–6 / 18x8.5–8	15x6.0–6 / 18x8.5–8
Mulching	✓	✓
Tow Hitch	Optional	Optional
Bumper	Optional	Optional
Headlights	Optional	Optional
Length/width/height	190 / 102 / 114 cm	190 / 120 / 140 cm
Art. no./EAN no.	127 574 / 400 371 806 0737	127 445 / 400 371 805 7751



PATENTED FREE-WHEEL MECHANISM FOR PROTECTING THE TRANSMISSION UNIT

- | With this special mechanism, the forwards/backwards accelerator pedal is switched off while braking.
- | This protects the transmission and increases the machine's service life when the accelerator pedal is operated at the same time as the brakes.



TRACTORS COMFORT

T 15-93.7 HD-A

Great performance and value for money

- Compact, entry-level tractor
- 93 cm mowing width
- Comfortable foot hydrostatic
- Large fabric grass catcher with 220 L volume
- Powerful AL-KO Pro engine with 7.7 kW power rating and OHV technology

Art. no. 127 417



T 15-103.7 HD-A

For large areas

- 103 cm working width
- Powerful 7.5 kW AL-KO Pro engine
- Ergonomic controls
- Comfortable mounting and dismounting thanks to the low and accessible access point

Art. no. 127 418



REAR COLLECT TRACTORS

THE PERFECT TRACTOR
FOR MOWING AND
COLLECTING GRASS

T 13-93.7 HD

Ideal for level lawns

- 93 cm mowing width
- Powerful 6.3 kW Briggs & Stratton engine
- Effortless care for medium-sized to large lawns
- The optimal pivot point in combination with the ergonomic telescopic lever ensure easy mechanical box emptying
- Optional mulching kit

Art. no. 127 416



engineered in 
GERMANY

 made in
AUSTRIA

T 16-93.7 HD V2

A powerhouse for every kind of terrain

- | 93 cm working width
- | Powerful, twin-cylinder, 9.6 kW Briggs & Stratton engine
- | Extensive range of accessories
- | The mowing deck's quick-release system allows for all year round use
- | Bright LED headlights

Art. no. 127 443



300-LITRE GRASS CATCHER BOX WITH GAS STRUT ASSIST

T 16-103.7 HD V2

- | **Workhorse with 2 cylinders**
- | 103 cm wide mowing deck
- | Low-vibration, powerful, 9.1 kW, twin-cylinder engine from Briggs & Stratton
- | Suitable for all terrains
- | Torsion-resistant frame
- | Easy to manoeuvre
- | Easy-to-access controls
- | Bright LED headlights






Art. no. 127 444




REAR-DISCHARGE TRACTORS AT A GLANCE



COMFORT

REAR-DISCHARGE TRACTORS	T 15-93.7 HD-A 	T 15-103.7 HD-A 	T 13-93.7 HD 	T 16-93.7 HD V2 	T 16-103.7 HD V2 
Engine	AL-KO Pro 450	AL-KO Pro 450	Briggs & Stratton 3130 Powerbuilt	Briggs & Stratton Intek 7160 V2	Briggs & Stratton Intek 7160 V2
ccm / kW / rpm	452 / 7.7 / 2,600	452 / 7.5 / 2,450	344 / 6.3 / 2,600	656 / 9.6 / 2,600	656 / 9.1 / 2,450
Working width	93 cm (2 blades)	103 cm (2 blades)	93 cm (2 blades)	93 cm (2 blades)	103 cm (2 blades)
Area coverage	up to 6,000 m ²	up to 7,000 m ²	up to 6,000 m ²	up to 6,000 m ²	up to 7,000 m ²
Cutting height/height adjustment	3 – 8 cm / central, 6-stage	3 – 8 cm / central, 6-stage	3 – 8 cm / central, 6-stage	3 – 8 cm / central, 6-stage	3 – 8 cm / central, 6-stage
Blade brake clutch	Electromagnetic	Electromagnetic	Electromagnetic	Electromagnetic	Electromagnetic
Number of cylinders	1 cylinder	1 cylinder	1 cylinder	2 cylinder	2 cylinder
Transmission	Foot hydrostatic (T3)	Foot hydrostatic (T3)	Foot hydrostatic (T3)	Foot hydrostatic (T3)	Foot hydrostatic (T3)
Wheels F/R (inches)	15x6.0–6 / 18x8.5–8	15x6.0–6 / 18x8.5–8	15x6.0–6 / 18x8.5–8	15x6.0–6 / 18x8.5–8	15x6.0–6 / 18x8.5–8
Grass catcher box	220 L	220 L	220 L	220 L	300 L
Grass catcher box emptying	Telescopic lever	Telescopic lever	Telescopic lever	Telescopic lever	Gas strut
Mulching	Optional	Optional	Optional	Optional	Optional
Tow Hitch	Optional	Optional	Optional	Optional	Optional
Bumper	Optional	Optional	Optional	Optional	Optional
Headlights	Optional	Optional	Optional	LED	LED
Length/width/height	239 / 102 / 114 cm	239 / 110 / 114 cm	239 / 102 / 114 cm	239 / 102 / 114 cm	239 / 110 / 114 cm
Art. no. / EAN no.	127 417 / 400 371 805 7294	127 418 / 400 371 805 7300	127 416 / 400 371 805 7287	127 443 / 400 371 805 7737	127 444 / 400 371 805 7744



THE BRIGGS & STRATTON INTEK ENGINES

Many lawn tractors are fitted with high-quality, air-cooled Intek engines from the US manufacturer Briggs & Stratton. The reason? That's because it's one of the best power units available on the market in terms of lawn tractors.

Thanks to cast-iron cylinder liners, pressure lubrication with oil filter, anti-vibration system and state-of-the-art OHV technology with overhead valves, the series is extremely durable and reliable. What's more, it ensures excellent results in day-to-day demanding tasks.



TRACTORS PREMIUM

THE KINGS OF THE LAWN
TRACTORS



YOUR ADVANTAGES

- ✓ **PATENTED FRAME, ENSURING DURABILITY**
- ✓ **BROAD WHEELS FOR OPTIMAL TRACTION**
- ✓ **POWERFUL TWIN CYLINDER ENGINES**
- ✓ **BALL-BEARING-MOUNTED DRIVE FOR VIBRATION DAMPING**
- ✓ **ERGONOMIC, ADJUSTABLE SEATING POSITION**
- ✓ **ELECTROMAGNETIC BLADE BRAKE CLUTCH**
- ✓ **MOWER DECK CAN BE REMOVED IN JUST A FEW MINUTES**
- ✓ **TWIN TOUCH PEDAL CONFIGURATION**
- ✓ **95, 105, 110, 125CM DECK WIDTHS**
- ✓ **EXTERNAL TANK NOZZLE**
- ✓ **LARGE GRASS CATCHER BOX WITH ACOUSTIC FILL LEVEL SIGNAL**
- ✓ **LOW STEP AND PLENTY OF LEGROOM**
- ✓ **NON-SLIP FOOTREST WITH INTEGRATED RUBBER ELEMENTS**
- ✓ **EASY-TO-REACH CONTROLS**
- ✓ **MOWING RIGHT UP TO THE EDGES**
- ✓ **FOOT HYDROSTATIC**
- ✓ **MULCH PLUG, TOW HITCH AND BUMPER INCLUDED**
- ✓ **ELECTRIC TIP GRASS BOX EMPTYING AT THE PUSH OF A BUTTON***

*Standard on T20-105 HDE or as an optional extra.



OUR INNOVATIVE **HIGH GRASS MOWER DECK**

Paddock or high grass?
OUR HIGH GRASS MOWER DECK HANDLES IT ALL!



LESS IS MORE

LESS MOWING, MORE BEES

Bees are finding fewer and fewer places in the wild for shelter, yet they are considered the most important pollinators and are essential for a sustainable world. It is therefore our responsibility to do our part to protect these essential creatures. Believe it or not, your contribution to defending these useful insects can start in your own garden. Each additional flower in your garden not only makes your property look stunningly colourful, but also contributes to the survival of these bees. Moreover, if you choose to leave your grass long, this also creates a great habitat for these important creatures. Therefore, mowing less improves the ecosystem and helps protect our bees.

HIGH GRASS MOWER **T 22-110.0 HDH-A V2**

Art. no. 127 575 /
EAN no. 400 371 806 0935





PREMIUM

HIGH GRASS MOWER

CUT YOUR WAY THROUGH
THICK AND THIN

**T 22-110.0
HDH-A V2**



- | **The tractor for demanding work**
- | Robust, asynchronous blade system
- | 5 mm thick blades guarantee long service life, even on difficult terrain
- | 4 contact rollers on the mowing deck ensure the right balance on uneven terrain
- | Easy-to-dismantle mowing deck for maintenance and cleaning thanks to the AL-KO quick-change system
- | Chevron tyres as standard for optimum traction
- | Bumper and tow hitch included

Art. no. 127 575





CHEVRON TYRES

Fitted as standard to the rear wheels for improved traction on difficult terrain



HIGH GRASS MOWER DECK 110



**MOWING RIGHT UP
TO THE EDGES**
Working width 110 cm



GOOD CUTTING RESULTS
3 cross-cutting blades



VARIABLE CUTTING HEIGHT
Cutting height 30 – 90 mm



TRACTORS PREMIUM

T 16-95.6 HD V2

- | **Twin cylinders under the bonnet**
- | 95 cm wide mowing deck
- | 9.6 kW Briggs & Stratton engine
- | Perfect for rough terrain with gradients
- | With mulch plug, tow hitch and bumper as standard
- | Ergonomic twin touch pedals
- | Non-slip footrest with integrated rubber elements

Art. no. 127 369



T 16-105.6 HD V2

- | **Suitable even for hilly terrain**
- | 105 cm wide mowing deck
- | Powerful, twin-cylinder, 9.1 kW engine from Briggs & Stratton
- | For large and uneven lawns
- | 8-litre fuel tank
- | Fast and convenient tank refilling thanks to the external tank flap
- | Ergonomic twin touch pedals
- | LED headlights
- | With mulching kit & tow hitch

Art. no. 127 370



T 20-105.6 HD V2

- | **With cast axle and G700 transmission**
- | 105 cm wide mowing deck
- | 20-80mm cutting heights
- | 23" tyres for optimum traction
- | Low centre of gravity perfect for uneven terrain
- | Powerful twin cylinder 11.3 kW engine
- | Semi-professional drive components
- | Ergonomic pedals and controls
- | Premium adjustable high backed seat
- | Heavy duty front bumper
- | Cast axle
- | With cruise control
- | Mulching kit and tow hitch as standard

Art. no. 127 371



T 20-105.6 HDE V2

- | **Award winner with electric tip**
- | Electronic tip kit fitted as standard
- | 105 cm wide mowing deck
- | 30-90mm cutting heights
- | 23" tyres for optimum traction
- | Low centre of gravity perfect for uneven terrain
- | Powerful twin cylinder 11.3 kW engine
- | Semi-professional drive components
- | Ergonomic pedals and controls
- | Premium adjustable high backed seat
- | Heavy duty front bumper
- | Cast axle
- | With cruise control
- | Mulching kit and tow hitch as standard

Art. no. 127 376





T 23-125.6 HD V2



- | **Largest and most powerful model in the range**
- | Extra-wide, with a timed 125 cm mowing deck
- | Extra-powerful, 14.4 kW 2-cylinder engine
- | Top model in the tractor series
- | Ideal for the quick cutting of large areas (of up to 10,000 m²)
- | Robust, torsion-resistant C-profile frame
- | Sturdy die-cast front axle
- | Semi-professional drive components
- | Bumper and cruise control
- | Ergonomic pedals and controls in sight
- | Non-slip footrest with integrated rubber elements

Art. no. 127 384



engineered in 
GERMANY







 made in
AUSTRIA

EVERYTHING AT A GLANCE




PREMIUM

High Grass Mower

TRACTORS	T 16-95.6 HD V2 	T 16-105.6 HD V2 	T 20-105.6 HD V2 	T 20-105.6 HDE V2 	T 22-110.0 HDH-A V2 	T 23-125.6 HD V2 
Engine	Briggs & Stratton Intek 7160 V2	Briggs & Stratton Intek 7160 V2	Briggs & Stratton Intek 7200 V2	Briggs & Stratton Intek 7200 V2	AL-KO Pro 700 V2	Briggs & Stratton Intek 8240 V2
ccm / kW / rpm	656 / 9.6 / 2,600	656 / 9.1 / 2,450	656 / 11.3 / 2,450	656 / 11.3 / 2,450	708 / 13.4 / 2,900	724 / 14.4 / 2,900
Working width	95 cm (2 blades)	105 cm (2 blades)	105 cm (2 blades)	105 cm (2 blades)	110 cm (3 blades)	125 cm (2 blades, synchronous)
Area coverage	up to 7,000 m ²	up to 8,000 m ²	up to 8,000 m ²	up to 8,000 m ²	up to 9,000 m ²	up to 10,000 m ²
Cutting height/ adjustment	3 – 9 cm / central, 7-stage	3 – 9 cm / central, 7-stage	3 – 9 cm / central, 7-stage	2 – 8 cm / central, 7-stage	3 – 9 cm / central, 7-stage	3 – 9 cm / central, 7-stage
Blade brake clutch	Electro-magnetic	Electro-magnetic	Electro-magnetic	Electro-magnetic	Electro-magnetic	Electro-magnetic
Number of cylinders	2 cylinder	2 cylinder	2 cylinder	2 cylinder	2 cylinder	2 cylinder
Transmission	Foot hydrostatic (T3)	Foot hydrostatic (T3)	Foot hydrostatic (G700)	Foot hydrostatic (G700)	Foot hydrostatic (T3)	Foot hydrostatic (G700)
Wheels F/R (inches)	15x6.0-6 / 20x10.0-8	16x6.5-8 / 20x10.0-8	16x6.5-8 / 23x10.5-12	16x6.5-8 / 23x10.5-12	16 x 6.5-8 / 20 x 10.0-8	16x6.5-8 / 23x10.5-12
Grass catcher box	310 L	310 L	310 L	310 L	–	310 L
Grass catcher box emptying	Telescopic lever, electric emptying available	Telescopic lever, electric emptying available	Telescopic lever, electric emptying available	Electric	–	Telescopic lever, electric emptying available
Mulching	✓	✓	✓	✓	–	✓
Tow Hitch	✓	✓	✓	✓	✓	✓
Bumper	✓	✓	✓	✓	✓	✓
Headlights	✓	✓	✓	✓	✓	✓
Cast axle	–	–	✓	✓	–	✓
Cruise control	–	–	✓	✓	–	✓
Length / Width / Height	251/100/ 117 cm	251/100/ 117 cm	256/110/ 120 cm	256/110/ 120 cm	200/114/ 117 cm	256/130/ 120 cm
Art. no./ EAN no.	127 369 / 400 371 805 5795	127 370 / 400 371 805 5801	127 371 / 400 371 805 5818	127 376 / 400 371 805 5818	127 575 / 400 371 806 0935	127 384 / 400 371 805 5719



MINIMUM TURNING CIRCLE
FOR MAXIMUM RESULTS



HYDRO DRIVE THANKS TO HYDRO-GEAR

As one of their key features, our tractors include a high-quality Hydro-Gear® transmission and thus can ensure the very best driving experience in even the most difficult situations. The hydrostatic transmission from Hydro-Gear® was developed, tested and built to ensure reliable, quiet and yet extremely precise performance for years to come. The star feature of our three top models – the T20's and T23 – is the G700 transmission series. With its rugged cast aluminium

housing and improved internal components, as well as solid 1" wheel shafts, the G700 offers the best performance in all situations, and over a long period of time. An external oil filter simplifies maintenance, while the integrated charging pump ensures that the main elements of the hydraulics are always supplied with sufficient oil, so as to guarantee smooth, low-noise operation and low component wear. In brief: Top on Top.

G700



T3



ACCESSORIES



CT 300 COMBI-TRAILER

NEW

- | Use as a trailer or barrow
- | 300kg load weight
- | 280 litre carrying capacity
- | Soft grip handle
- | Tip function

Art. no. AK27300C



CT 400 COMBI-TRAILER

NEW

- | Use as a trailer or barrow
- | Large pneumatic tyres
- | 400kg load weight
- | 280 litre carrying capacity
- | Soft grip handle
- | Tip function

Art. no. AK27400P



SP 60 SPREADER

NEW

- | Large 56L capacity
- | Adjustable flow rate
- | Heavy duty corrosion resistant hopper
- | Pin tow hitch
- | Pneumatic tyres

Art. no. 113 874



CR 400 LOADING RAMPS CURVED

NEW

Suitable for machinery up to 400kg
30cm wide

Art no: 113 862



SR 400 LOADING RAMPS STRAIGHT

NEW

Suitable for machinery up to 400kg
30cm wide

Art no: 113 861



LAWN ROLLER GW 100*

Working width: 98 cm
Working weight: 140 kg (water inside),
235 kg (sand inside)

Art no: 130 539





TOW HITCH



ELECTRIC TIP KIT



DEFLECTOR



MULCHING KIT



RETROFITTING KIT FOR LED LIGHTS




BUMPER

**TRACTORS
ACCESSORIES**

	T 15-93.9 HDS-A	T 22-111.7 HDS-A V2	T 13-93.7 HD	T 15-93.7 HD-A	T 16-93.7 HD V2	T 15-103.7 HD-A	T 16-103.7 HD V2	T 16-95.6 HD V2	T 16-105.6 HD V2	T 20-105.6 HD V2	T 20-105.6 HDE V2	T 22-110.0 HDH-A V2	T 23-125.6 HD V2
Bumper Art. no. 119 658, EAN no. 400 371 835 3464	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Electric grass catcher box emptying Art. no. 119 602, EAN no. 400 371 835 2948	-	-	-	-	-	-	-	✓	✓	✓	✓	-	✓
Mulching kit for 93/95 cm Art. no. 118 885, EAN no. 400 371 834 5643	-	-	✓	✓	✓	-	-	✓	-	-	-	-	-
Mulching kit for 103/105 cm Art. no. 119 656, EAN no. 400 371 835 3440	-	-	-	-	-	✓	✓	-	✓	✓	✓	-	-
Premium deflector Art. no. 119 606, EAN no. 400 371 835 2986	-	-	-	-	-	-	-	✓	✓	✓	✓	-	✓
Comfort deflector Art. no. 127 488, EAN no. 400 371 805 9281	-	-	✓	✓	✓	✓	✓	-	-	-	-	-	-
Premium tow hitch Art. no. 119 608, EAN no. 400 371 835 3006	-	-	-	-	-	-	-	✓	✓	✓	✓	✓	✓
Comfort tow hitch Art. no. 119 831, EAN no. 400 371 835 5109	✓	✓	✓	✓	✓	✓	✓	-	-	-	-	-	-
Lawn roller GW100 Art. no. 130 539, EAN no. 576 972 033 0617	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Combi-Trailer CT300 Comfort Art. no. AK27300C, EAN no. 506 036 621 2115	✓	✓	✓	✓	✓	✓	✓	-	-	-	-	-	-
Combi-Trailer CT400 Premium Art. no. AK27400P, EAN no. 506 036 621 2122	-	-	-	-	-	-	-	✓	✓	✓	✓	✓	✓
Retrofitting kit for LED lights Art. no. 119 832, EAN no. 400 371 835 5116	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Spreader SP 60* Art. no. 113 874 EAN no. 400 371 806 1932	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Straight loading ramp Art. no. 113 861 EAN no. 400 371 806 1949	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Curved loading ramp Art. no. 113 862 EAN no. 400 371 806 2038	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

LAWN MOWERS

FIND THE PERFECT MOWER FOR YOUR
LAWNCARE REQUIREMENTS WITH A CHOICE OF
BATTERY, ELECTRIC & PETROL MODELS





ENVIRONMENTALLY FRIENDLY AND QUIET IN THE GARDEN

FULL BATTERY POWER
AL-KO MOWEO 46.0 LI SP



No
memory effect

7



Settings for
the cutting height




Robust
deck



Energy with stamina

The Energy Flex lithium-ion battery is available with either 4 Ah or 5 Ah. Because there is no memory effect, Energy Flex lithium-ion batteries have a long service life.

The fill level indicator on the battery shows when the battery has to be recharged.



Convenient charging

Fully charging the battery takes about as long as a good film or two episodes of your favourite TV programme. Go on, take a break!



Safe start function

To prevent accidentally starting the engine, the battery-operated lawnmowers are equipped with a safety key. The motor will only start when you insert this key and turn it.

Efficient working for lawns of up to

500 m²



**Big wheels
keep on
turning**

XXL rear wheels
the ball bearing-mounted wheels protect the lawn as you mow.



A battery for versatile use

Whether mowing lawns, cutting hedges or blowing leaves – with the Energy Flex range, you'll only need the one battery. And best of all, the lawnmower comes with a battery and a charger. So you can buy other Energy Flex battery-operated tools affordably without an additional battery.




Relaxed mowing

Cordless battery lawnmowers combine the advantages of classic petrol lawnmowers with the quiet and exhaust-free operation of electrical versions – and without the irritating cable. The perfect combination!

Fit for your garden

A cutting width of up to 46 cm offers a truly efficient way to work on large lawns.



YOUR ADVANTAGES

- | Powerful lithium-ion battery and charger included
- | Battery suitable for all tools from the Easy Flex or Energy Flex ranges
- | Grass catcher box with integrated fill level indicator
- | **2INONE** function (mowing, grass-catching)
- | **3INONE** function (mowing, grass-catching, mulching)

BATTERY LAWNMOWERS



EVERYTHING UNDER CONTROL

You can check the battery's current charge level by simply pressing a button. Thanks to lithium-ion technology, it can be charged quickly at any time. A complete charge only takes about one and a half hours.



BE ON THE SAFE SIDE

To prevent the motor from starting unintentionally, all lawnmowers are fitted with a safety key. The motor will only start when you insert this key and turn it. After removing the key, you can switch off the mower without any worries.



EASY HANDLING

Thanks to the central cutting height adjustment, you can achieve perfect cutting results at the flick of a wrist. You can select the right cutting height easily using an integrated lever.

EASY FLEX**34.8 Li**

- | 34 cm cutting width
- | 150–200 m² lawns
- | Ergonomic dual handlebar control for greater mowing comfort
- | Robust carry handle
- | Lightweight

Art. no. 113 540

Including battery and charger

**EASY**

Folding

**ENERGY FLEX****3.29 Li**

- | 32 cm cutting width
- | 250 m² lawns
- | 30-litre grass catcher box with extra-long box tongue
- | Zero-maintenance, brushless motor
- | Can be placed upright for space-saving storage
- | Lightweight

Art. no. 113 663

Including battery and charger

**EASY**

Folding

**ENERGY FLEX****3.85 Li**

- | 37 cm cutting width
- | 250 m² lawns
- | 45-litre grass catcher box with extra-long box tongue
- | Zero-maintenance, brushless motor
- | XXL rear wheels

Art. no. 113 278

Including battery and charger

**EASY**

NEW

ENERGY FLEX

Moweo 42.0 Li

- | 42 cm cutting width
- | 400 m² lawns
- | Ball-bearing mounted wheels
- | Zero-maintenance, brushless motor
- | Ergonomic handlebar control
- | Steel Deck

Including battery and charger

Art. no. 119 933



COMFORT



engineered in
GERMANY

made in
AUSTRIA

NEW

ENERGY FLEX

Moweo 42.1 Li SP

- | 42 cm cutting width
- | 400 m² lawns
- | Ball-bearing mounted wheels
- | Zero-maintenance, brushless motor
- | Ergonomic handlebar control
- | Single-speed rear-wheel drive
- | Steel Deck

Including battery and charger

Art. no. 119 992



COMFORT

MAX AIRFLOW technology

NEW

ENERGY FLEX

Moweo 46.0 Li SP

- | 46 cm cutting width
- | 500 m² lawns
- | Front carry handle
- | XXL rear wheels, ball-bearing mounted
- | MaxAirflow Steel Deck
- | Zero-maintenance, brushless motor
- | Single-speed rear-wheel drive
- | 70L Grass Collector

Including battery and charger



COMFORT

INCLUDING BATTERY AND CHARGER	EASY FLEX	ENERGY FLEX				
	34.8 Li	3.29 Li	3.85 Li	Moweo 42.0 Li	Moweo 42.1 Li SP	Moweo 46.0 Li SP
Category	EASY	EASY	EASY	COMFORT	COMFORT	COMFORT
Cutting width	34 cm	32 cm	37 cm	42 cm	42 cm	46 cm
For lawns of max. size	150–200 m ²	250 m ²	300 m ²	400 m ²	400 m ²	500 m ²
Function	2INONE function	2INONE function	2INONE function	2INONE function	2INONE function	3INONE function
Cutting height / cutting height adjustment	25 – 75 mm / central, 6-stage	25 – 65 mm / central, 5-stage	25 – 75 mm / central, 6-stage	30 – 75 mm / central, 7-stage	30 – 75 mm / central, 7-stage	30 – 75 mm / central, 7-stage
Battery type	Lithium-ion, 20 V max. (2.5 Ah)	Lithium-ion, 40 V max. (4.0 Ah)	Lithium-ion, 40 V max. (4.0 Ah)	Lithium-ion, 40 V max. (4.0 Ah)	Lithium-ion, 40 V max. (5.0 Ah)	Lithium-ion, 40 V max. (5.0 Ah)
Max. Charging time of battery	150 minutes	90 minutes	90 minutes	90 minutes	120 minutes	120 minutes
Battery / charger included in delivery	2x 2.5 Ah / 1	1x 4.0 Ah / 1	1x 4.0 Ah / 1	1x 4.0 Ah / 1	1x 5.0 Ah / 1	1x 5.0 Ah / 1
Wheel drive	–	–	–	–	1-speed	1-speed
Wheel diameter, front / rear	140 / 160	140 / 160	150 / 230	180 / 205	180 / 225	200 / 280
Mower deck	Plastic PP	Plastic PP	Plastic PP	Steel plate	Steel plate	Steel plate
Volume of grass catcher box	30 L	30 L	45 L	65 L	65 L	70 L
Approx. weight	12 kg	12 kg	17 kg	22.4 kg	25.8 kg	30.3 kg
Mulching function	–	–	–	Optional AK46372201	Optional AK46372201	Yes Included
Art. no. / EAN no.	113 540 / 400 371 805 7584	113 663 / 400 371 805 9106	113 278 / 400 371 805 5009	119 933 / 400 371 835 5833	119 992 / 4003 718 356281	119 934 / 400 371 835 5840

ADDITIONAL BATTERIES

113 559 (2.5 Ah)	113 280 (4.0 Ah)	113 280 (4.0 Ah)	113 280 (4.0 Ah)	113 280 (4.0 Ah)	113 280 (4.0 Ah)
113 698 (5.0 Ah)	113 524 (5.0 Ah)	113 524 (5.0 Ah)	113 524 (5.0 Ah)	113 524 (5.0 Ah)	113 524 (5.0 Ah)

REPLACEMENT BLADES

Art. no.	481 144 / 400 371 804 7974	442 702 / 400 371 804 7974	413 867 / 400 371 805 8802	441 605 / 400 371 805 5658	441 605 / 400 371 805 5658	441 505 / 400 371 805 5665
----------	-------------------------------	-------------------------------	-------------------------------	-------------------------------	-------------------------------	-------------------------------





ELECTRIC LAWNMOWERS



LIGHT WEIGHT

Thanks to their carry handle and low weight, the 34 E and 40 E models can be transported easily. The ergonomic soft grip handlebar provides increased comfort during use.



MOWING NEAR TO THE EDGE

Thanks to the mower's special deck design which prevents the wheels protruding outwards, you can easily mow the lawn up to walls and edges. The single lever height of cut allows for simple adjustment for the desired finish.



PERFECTLY DESIGNED

The compact design and folding handle means our range of electric lawnmowers are manoeuvrable and easy to store away. The grass catcher box with aerodynamic air flow, large opening and a practical handle ensures easy, residue-free emptying.

34 E Comfort

- | 34 cm cutting width
- | 300 m² lawns
- | Long-life motor
- | Lightweight plastic deck
- | Ergonomic handle
- | **2INONE** function

Art. no. 112 857



YOUR ADVANTAGES

- | Light and easy to manoeuvre
- | Large wheels for optimal lawnmowing comfort
- | Grass catcher box with integrated fill level indicator
- | Cable strain relief device
- | **2INONE** function (mowing, grass-catching)
- | **3INONE** function (mowing, grass-catching, mulching)

MULCHING ON DEMAND

Just mount the mulching insert without the need for tools and work the fine grass clippings into the lawn as a natural fertiliser (40 E Comfort).



40 E Comfort

- | 40 cm cutting width
- | 600 m² lawns
- | Long-life motor
- | Height-adjustable handlebar
- | Including mulching insert
- | **3INONE** function

Art. no. 112 858



	34 E Comfort	40 E Comfort
Category	COMFORT	COMFORT
Cutting width	34 cm	40 cm
For lawns of max. size	300 m ²	600 m ²
Function	2INONE function	3INONE function
Cutting height / cutting height adjustment	28–68 mm / central, 6-stage	28–68 mm / central, 6-stage
Induction motor	Electric, 1,200 W	Electric, 1,400 W
Cable length	12 m	16 M
Wheel diameter, front / rear	145 / 155 mm	155 / 190 mm
Mower deck	Plastic PP	Plastic PP
Volume of grass catcher box	37 L	43 L
Approx. weight	15 kg	19 kg
Mulching function	–	✓
Art. no. / EAN no.	112 857 / 400 371 804 3501	112 858 / 400 371 804 3594

REPLACEMENT BLADES

Art. no. / EAN no.	463 800 / 400 371 803 7746	463 915 / 400 371 803 7753
--------------------	----------------------------	----------------------------



YOUR ADVANTAGES

- | Robust pressed steel deck
- | XL/XXL easy-running wheels
- | **2INONE** function
(mowing, grass-catching)
- | **4INONE** function
(mowing, grass catching, mulching, side discharge)

engineered in 
GERMANY

 made in
AUSTRIA

Excluding the Easy range

PETROL LAWNMOWERS



CONVENIENT HEIGHT ADJUSTMENT

The central or individual wheel adjustment allows all models to be set to the desired cutting height in next to no time.



GET THE JOB DONE EASILY

The wheels on AL-KO petrol lawnmowers protect the lawn and ensure optimum mowing comfort. The drive of the XL/XXL rear wheels also guarantees the best traction on the lawn.



THE BEST RESULTS

Whether you prefer mowing and collecting, mulching or side discharge: Our innovative mower decks guarantee you the best results in lawn care.

OUR RANGES

The AL-KO range of petrol lawn mowers is separated into three different platforms - Easy, Comfort & Premium. This makes choosing a mower simple as you can make your decision based on the features you require. Dedicated mulching mowers are also available see pages 85-88 for details.

EASY



- | 42, 46, 51cm Cutting Width
- | Push & Self Propelled
- | 3 Year Domestic Warranty*
- | AL-KO Tech Engines
- | Simple Design



COMFORT



- | | |
|---|---------------------------------------|
| 42, 46, 51cm Cutting Width | AL-KO PRO & Briggs & Stratton Engines |
| Push & Self Propelled | MaxAirflow Deck (46cm/51cm models) |
| 60 Litre Collector | Ball Bearing Wheels |
| Soft Grip Handle | Sturdy Front Carry Handle |
| Engineered in Germany - Made in Austria | 5 Year Domestic Warranty* |

PREMIUM



- | | |
|---|--|
| 46 & 51cm Cutting Width | AL-KO PRO, Briggs & Stratton & Honda Engines |
| Automatic Choke Engines | Self Propelled & Vari-Speed |
| Electric Start Options | MaxAirflow Deck |
| Large 70 Litre Collector | 4INONE Function |
| XXL Ball Bearing Wheels | Soft Grip Handles |
| Flat OPC & Drive Levers | Sturdy Front Carry Handle |
| Engineered in Germany - Made in Austria | 5 Year Domestic Warranty* |

* Subject to annual service

PETROL LAWNMOWERS

| EASY MODELS



Easy 4.20 P-S

- | 42 cm cutting width
- | Suitable for lawns up to 800 m²
- | 50 litre grass catcher box
- | **2INONE** function

Art. no. 113 794



EASY

Easy 4.60 SP-S

- | 46 cm cutting width
- | Suitable for lawns up to 1,400 m²
- | 60 litre grass catcher box
- | Single-speed rear-wheel drive
- | **2INONE** function

Art. no. 113 795



EASY

Easy 5.10 SP-S

- | 51 cm cutting width
- | Suitable for lawns up to 1,800 m²
- | 60 litre grass catcher box
- | Single-speed, rear-wheel drive
- | Integrated side discharge
- | **4INONE** function

Art. no. 113 796



EASY

4INONE function

- | Mowing
- | Grass catching
- | Mulching
- | Side discharge



EASY ADVANTAGES

- | Optimum mowing and catching results thanks to the aerodynamic deck shape
- | Front carry handle for easy portability*
- | Steel plate deck
- | Wheel drive*
- | OHV engine with primer for easy starting
- | Central cutting height adjustment

* not available for all models



PETROL LAWNMOWERS	Easy 4.20 P-S	Easy 4.60 SP-S	Easy 5.10 SP-S
Category	EASY	EASY	EASY
Cutting width	42 cm	46 cm	51 cm
For lawns of max. size	800 m ²	1,400 m ²	1,800 m ²
Function	2INONE function	2INONE function	4INONE function
Cutting height / cutting height adjustment	30 – 75 mm / central, 7-stage	30 – 75 mm / central, 7-stage	30 – 75 mm / central, 7-stage
Engine ccm / kW / rpm	AL-KO Tech 140 140 / 2.0 / 2,900	AL-KO Tech 140 140 / 2.0 / 2,900	AL-KO Tech 160 160 / 2.3 / 2,900
Wheel drive	–	1-speed	1-speed
Wheel diameter, front / rear	175 / 200 mm	200 / 250 mm	200 / 250 mm
Mower deck	Steel plate	Steel plate	Steel plate
Volume of grass catcher box	50 L	60 L	60 L
Approx. weight	23.1 kg	28.1 kg	31.8 kg
Mulching function	–	–	✓
Side discharge	–	–	✓
Art. no. / EAN no.	113 794 / 400 371 806 0843	113 795 / 400 371 806 0850	113 796 / 400 371 806 0867

REPLACEMENT BLADES

Art. no.	492 242	492 208	492 209
----------	---------	---------	---------

MAXAIRFLOW TECHNOLOGY

PERFECT AIR AND FLOW CHARACTERISTICS

MAXAIRFLOW
technology

IT'S A MATTER OF HEIGHT

Extra tall, extra large – that is the basis of MaxAirflow technology. Thanks to the extra-high steel plate housing and the extra-large discharge channel, airflow is increased by 42% compared to conventional steel plate housings.

So unlike in standard lawnmowers, the grass clippings are not thrown at a low angle into the grass catcher, but rather in a high arc. This means the grass catcher is effectively filled from the back, without the discharge channel becoming blocked.



FULL BOX = FEWER STOPS

MaxAirflow technology means that the lawn clippings are thrown to the back of the grass catcher box, meaning it can be filled to the top and doesn't have to be emptied so often.



OPTIMUM GRASS CATCHING

The perfectly filled box also collects grass cuttings from the discharge channel thanks to the integrated box tongue. This is an ideal way to collect the grass and leaves with fewer grass clippings lying on the lawn.




NO MORE GREEN FINGERS

Thanks to MaxAirflow technology, it is possible to mow even long, damp grass, without leaving clumps behind on the ground or blocking the discharge channel. This way, you can avoid getting your hands dirty.

INNOVATIVE ELECTRIC STARTER

STARTING PETROL LAWNMOWERS
CONVENIENTLY AT THE TURN OF A KEY



AL-KO



ELECTRIC-START TECHNOLOGY*

Fast, safe and effortless starting. A small, handy lithium-ion battery suffices as an energy source for starting. Not only does this reduce the weight of the lawnmower significantly compared to the heavy lead-gel batteries required beforehand – the technology also ensures much easier handling and charging.

Thanks to the particularly high battery capacity, up to 200 starts (equal to approximately one mowing season) can be achieved with a single battery charge. The external charger enables a further 20 starts after recharging for just 10 minutes.

In the Briggs & Stratton engines this is called InStart technology, while in the AL-KO engines it goes by the name of E-Start technology.



* not available for all lawnmower models



NO MORE OIL CHANGES

Thanks to the innovative design and optimised air cooling, Briggs & Stratton EXi and InStart engines use significantly less oil than comparable 4-stroke engines. Due to lower heat transfer, the lubricating properties of the oil also remain effective for longer, so you can top up the oil instead of changing it.



QUICK, RELIABLE START-UP

Once the lithium-ion battery is charged and inserted, all you have to do is turn the key switch to start the motor. So no more strenuous cord-pulling to start the engine and re-start the mower after emptying the grass catcher thanks to the electric starter.



COMPACT POWER PACK

Perhaps the best way of describing the powerful battery used with the engine is "small is beautiful". Its compact size means it can be removed and put back easily. Even after long periods without charging (e.g. in winter), you can start charging your battery up in just a few minutes and as frequently as you like.

PETROL LAWNMOWERS

COMFORT MODELS

COMFORT ADVANTAGES

- | Front carry handle for easy portability
- | Ergonomic handlebar with comfort grip
- | Central cutting height adjustment (except for the Comfort 42.1 P-A)
- | With MaxAirflow technology on 46cm & 51cm models
- | Comfortable wheel drive for reduced strain*
- | **3INONE** function (mowing, grass catching, mulching)
- | **4INONE** function (mowing, grass catching, mulching, side discharge)

* not available for all models



Comfort 42.1 P-A

NEW

- | 42 cm cutting width
- | Suitable for lawns up to 800 m²
- | 60 litre grass catcher box
- | AL-KO Pro 125 QSS engine
- | Quick-start technology
- | **3INONE** function

Art. no. 119 998



COMFORT

Comfort 42.1 SP-A

NEW

- | 42 cm cutting width
- | Suitable for lawns up to 800 m²
- | AL-KO Pro 125 QSS engine
- | Quick-start technology
- | Single-speed, rear-wheel drive
- | **3INONE** function

Art. no. 119 993



COMFORT

READY START/QUICK START

Thanks to the ready start/quick start system, the Briggs & Stratton EXi and the AL-KO Pro QSS engines can be started quickly and easily. No priming and no choke needed – simply pull and mow. (Not on all lawnmower models)



MAX AIRFLOW^{*} technology

NEW

Comfort 46.0 SP-A

- | 46 cm cutting width
- | Suitable for lawns up to 1,400 m²
- | AL-KO Pro 145 QSS engine
- | Quick-start technology
- | Single-speed, rear-wheel drive
- | **4INONE** function

Art. no. 119 938



COMFORT

NEW

Comfort 46.0 SP-B

- | 46 cm cutting width
- | Suitable for lawns up to 1,400 m²
- | Briggs & Stratton 500 E engine
- | Single-speed, rear-wheel drive
- | **4INONE** function

Art. no. 119 937



COMFORT

NEW

Comfort 51.0 SP-A

- | 51 cm cutting width
- | Suitable for lawns up to 1,800 m²
- | AL-KO Pro 145 QSS engine
- | Quick-start technology
- | Single-speed, rear-wheel drive
- | **4INONE** function

Art. no. 119 944



COMFORT

NEW

Comfort 51.0 SP-B

- | 51 cm cutting width
- | Suitable for lawns up to 1,800 m²
- | Briggs & Stratton 625 EXi engine
- | Ready-start technology
- | Single-speed, rear-wheel drive
- | **4INONE** function

Art. no. 119 943



COMFORT




FILL LEVEL INDICATOR

The high-capacity, aerodynamic plastic grass catcher box offers more than simply its size – the integrated fill level indicator also shows when the box is ready to be emptied. The built-in box tongue collects grass clippings from the discharge channel on all models with a MaxAirflow deck.



MAX AIRFLOW ^{*}
technology

^{*} For all models with the MaxAirflow logo





	Comfort 42.1 P-A	Comfort 42.1 SP-A	Comfort 46.0 SP-A	Comfort 46.0 SP-B	Comfort 51.0 SP-A	Comfort 51.0 SP-B
Category	COMFORT	COMFORT	COMFORT	COMFORT	COMFORT	COMFORT
Cutting width	42 cm	42 cm	46 cm	46 cm	51 cm	51 cm
For lawns of max. size	800 m ²	800 m ²	1,400 m ²	1,400 m ²	1,800 m ²	1,800 m ²
Function	3INONE function	3INONE function	4INONE function	4INONE function	4INONE function	4INONE function
Cutting height / cutting height adjustment	25 – 75 mm / individual wheel, 7-stage	25 – 75 mm / central, 7-stage	30 – 80 mm / central, 7-stage	30 – 80 mm / central, 7-stage	30 – 80 mm / central, 7-stage	30 – 80 mm / central, 7-stage
Engine ccm / kW / rpm	AL-KO Pro 125 QSS 123 / 1.9 / 2,800	AL-KO Pro 125 QSS 123 / 1.9 / 2,800	AL-KO Pro 145 QSS 139 / 2.1 / 2,800	Briggs & Stratton 500 E 140 / 2.0 / 2,900	AL-KO Pro 145 QSS 139 / 2.1 / 2,800	Briggs & Stratton 625 EXi 150 / 2.3 / 2,900
Wheel drive	–	1-speed	1-speed	1-speed	1-speed	1-speed
Wheel diameter, front / rear	180 / 205 mm	180 / 220 mm	200 / 280 mm	200 / 280 mm	200 / 280 mm	200 / 280 mm
Mower deck	Steel plate	Steel plate	Steel plate	Steel plate	Steel plate	Steel plate
Volume of grass catcher box	60 L	60 L	60 L	60 L	60 L	60 L
Approx. weight	25.9 kg	27.9 kg	34.0 kg	32.8 kg	35.3 kg	34.7 kg
Mulching function	✓	✓	✓	✓	✓	✓
Side discharge	–	–	✓	✓	✓	✓
Art. no. / EAN no.	119 998 / 400 371 835 5857	119 993 / 400 371 835 6298	119 938 / 400 371 835 5888	119 937 / 400 371 835 5871	119 944 / 400 371 835 5949	119 943 / 400 371 835 5932

REPLACEMENT BLADES

Art. no.	463 719	463 719	113 057	113 057	440 126	440 126
----------	---------	---------	---------	---------	---------	---------

OUR POWERFUL MACHINES

ROBUST AND COMPACT
PREMIUM



Perfect mowing
results



Multifunctionality
4 in 1



Maximum working
comfort





The perfect trim

The desired cutting height can be quickly set with the central and convenient height adjustment. So that your lawn also achieves perfection!

Ecological lawn care

With the mulching function for ecological lawn care – finely chopped grass clippings serve as organic fertiliser.



Comfortable handling

Ergonomically optimised controls and comfortable cockpit with soft grip handle.

Innovative engines

Enables lower oil consumption while at the same time maintaining optimal lubrication properties.



4INONE function



Multifunctionality

Flexible use for the perfect lawn: Mowing, collecting, mulching and side discharge.



Quick pit stop

The lawnmowers can be stored and cleaned vertically. So excellent space-saving storage is also possible until the next time the lawnmower is used.



The choice is yours

Whether AL-KO, Briggs & Stratton or Honda – we have just the right quality engine for your needs!

More mowing – fewer breaks!

MAX AIRFLOW technology

The MaxAirflow technology ensures that the grass is transported optimally into the grass catcher and the grass catcher box is filled more effectively. So that you can carry on mowing for longer before having to empty the box.



Integrated fill level display

Shows when the box has to be emptied.



Excellent construction!

Functionality combined with extreme durability and robustness enable comfortable mowing of up to 1,800 m².

Variable speed

The Variable Speed wheel drive lets you conveniently adjust the drive speed to suit your needs.



PETROL LAWNMOWERS

PREMIUM MODELS



PREMIUM ADVANTAGES

- | Front carry handle for easy portability
- | Large, 70-litre grass catcher box
- | Choice of extremely powerful engines
- | Central cutting height adjustment
- | Simple operation thanks to the cockpit* integrated into the handlebar on variable speed and electric start models
- | MaxAirflow technology – for perfect grass collecting and optimal box filling
- | **4INONE** function (mowing, grass catching, mulching, side discharge)

MAX **AIRFLOW** ^{*}
technology

Premium 470 SP-H

NEW

- | 46 cm cutting width
- | Suitable for lawns up to 1,400 m²
- | Honda GCVx 145 engine
- | Single-speed, rear-wheel drive
- | **4INONE** function

Art. no. 119 968



PREMIUM

Premium 470 SPI-A

NEW

- | 46 cm cutting width
- | Suitable for lawns up to 1,400 m²
- | AL-KO Pro 170 QSS engine
- | InStart and quick-start technology
- | Single-speed, rear-wheel drive
- | Comfortable cockpit
- | **4INONE** function

Art. no. 119 945



PREMIUM

Premium 470 VS-B

NEW

- | 46 cm cutting width
- | Suitable for lawns up to 1,400 m²
- | Briggs & Stratton 650 EXi engine
- | Ready-start technology
- | Variable Speed wheel drive
- | Comfortable cockpit
- | **4INONE** function

Art. no. 119 947



PREMIUM

OPTIMUM CONTROL

The soft grip makes mowing more comfortable whilst the cockpit provides easy access to the variable speed and electric start controls. Thanks to the single or variable speed wheel drive, cutting the grass has never been easier.



Premium 520 SP-H

NEW

- | 51 cm cutting width
- | Suitable for lawns up to 1,800 m²
- | Honda GCVx 170 engine
- | Single-speed, rear-wheel drive
- | **4INONE** function

Art. no. 119 969



PREMIUM

Premium 520 VS-B

NEW

- | 51 cm cutting width
- | Suitable for lawns up to 1,800 m²
- | Briggs & Stratton 675 EXi engine
- | Ready-start technology
- | Variable Speed wheel drive
- | Comfortable cockpit
- | **4INONE** function

Art. no. 119 949



PREMIUM

Premium 520 VSI-B

NEW

- | 51 cm cutting width
- | Suitable for lawns up to 1,800 m²
- | Briggs & Stratton 675 iS engine
- | InStart technology
- | Variable Speed wheel drive
- | Comfortable cockpit
- | **4INONE** function

Art. no. 119 948



PREMIUM

Premium 521 VS-H

NEW

- | 51 cm cutting width
- | Suitable for lawns up to 1,800 m²
- | Honda GCVx 170 engine
- | Variable Speed wheel drive
- | Comfortable cockpit
- | **4INONE** function

Art. no. 119 994



PREMIUM



ACCESSORIES FOR ALL PETROL LAWNMOWERS

ENGINE OIL SERVICE KIT, 3-PART

For easy oil changes
Art. no. 113 807 /
EAN no. 400 371 806 1413

STARTER KIT

1 x 5 L petrol cannister,
1 x engine service kit,
2 x lawnmower oil SAE 30
Art. no. 113 875 /
EAN no. 400 371 806 1963

NEW

PETROL LAWNMOWERS	Premium 470 SP-H	Premium 470 SPI-A	Premium 470 VS-B
Category	PREMIUM	PREMIUM	PREMIUM
Cutting width	46 cm	46 cm	46 cm
For lawns of max. size	1,400 m ²	1,400 m ²	1,400 m ²
Function	4INONE function	4INONE function	4INONE function
Cutting height / cutting height adjustment	30 – 80 mm / central, 7-stage	30 – 80 mm / central, 7-stage	30 – 80 mm / central, 7-stage
Engine ccm / kW / rpm	Honda GCVx 145 145 / 2.7 / 2,900	AL-KO Pro 170 QSS Electric start 166 / 2.6 / 2,800	Briggs & Stratton 650 EXi 163 / 2.4 / 2,800
Wheel drive	1-speed	1-speed	Variable speed
Wheel diameter, front / rear	200 / 280 mm	200 / 280 mm	200 / 280 mm
Mower deck	Steel plate	Steel plate	Steel plate
Volume of grass catcher box	70 L	70 L	70 L
Approx. weight	35.2 kg	36.9 kg	34.9 kg
Mulching function	✓	✓	✓
Side discharge	✓	✓	✓
Art. no. / EAN no.	119 968 / 400 371 835 6137	119 945 / 400 371 835 5956	119 947 / 400 371 835 6120

REPLACEMENT BLADES

Art. no.	113 057	113 057	113 057
----------	---------	---------	---------



4INONE

function

- | Mowing
- | Grass catching
- | Mulching
- | Side discharge



Premium 520 SP-H	Premium 520 VS-B	Premium 520 VSI-B	Premium 521 VS-H
PREMIUM	PREMIUM	PREMIUM	PREMIUM
51 cm	51 cm	51 cm	51 cm
1,800 m ²	1,800 m ²	1,800 m ²	1,800 m ²
4INONE function	4INONE function	4INONE function	4INONE function
30 – 80 mm / central, 7-stage	30 – 80 mm / central, 7-stage	30 – 80 mm / central, 7-stage	30 – 80 mm / central, 7-stage
Honda GCVx 170 167 / 3.2 / 2,900	Briggs & Stratton 675 EXi 163 / 2.6 / 2,800	B&S 675 iS InStart 163 / 2.6 / 2,800	Honda GCVx 170 167 / 3.2 / 2,900
1-speed	Variable speed	Variable speed	Variable speed
200 / 280 mm	200 / 280 mm	200 / 280 mm	200 / 280 mm
Steel plate	Steel plate	Steel plate	Steel plate
70 L	70 L	70 L	70 L
36.5 kg	34.9 kg	38.2 kg	36.2 kg
✓	✓	✓	✓
✓	✓	✓	✓
119 969 / 400 371 835 6144	119 949 / 400 371 835 5994	119 948 / 400 371 835 5987	119 994 / 400 371 835 6304

440 126	440 126	440 126	440 126
---------	---------	---------	---------

MULCH LAWNMOWER

THE ECOLOGICAL WAY TO CARE FOR LAWNS THANKS TO ORGANIC FERTILISER



Mulching



Mulch mowing and
side discharge in one



Ecological lawn care thanks
to organic fertiliser and
therefore without disposal
of grass clippings



XL wheels – gentle on your lawn
and featuring a sleek design




MULCH MOWERS

| ENVIRONMENTALLY FRIENDLY LAWN CARE


HOW DOES MULCHING WORK?

During mulch-mowing, the cut blades of grass are thrown upwards within the mower deck, finely shredded by a special blade and blown back onto the turf as a natural fertiliser – this returns natural nutrients to the lawn and protects it against drying out.



YOUR ADVANTAGES

- | XL wheels that are gentle on your lawn
- | Convenient cutting height adjustment
- | Ergonomic handlebar
- | **2INONE** function (mulch mowing and side discharge)



QUICK HEIGHT ADJUSTMENT

The cutting height can be changed on each axle quickly and easily. The full-width axles offer stability and perfectly straight wheel motion.



MULCHING OR SIDE DISCHARGE

If necessary, e.g. when the grass is very long after returning from holidays, or when working on pastures or orchards, the mulch mower can easily be converted to the side discharge function.



FRONT-WHEEL DRIVE

The energy-saving alternative is useful primarily on hilly terrain. When manoeuvring, the front wheels can be lifted clear off the ground with the drive still activated, allowing the mower to be turned (SP-A model).

THE BIGGER, THE BETTER

The tyres protect the lawn and ensure optimal mowing comfort. The driven XL front wheels of the SP model also guarantee optimal traction on your lawn and help you get the job done with ease.



468 P-A BIO Silver

- | 46 cm cutting width
- | Suitable for lawns up to 1,100 m²
- | AL-KO Pro engine with quick start
- | Robust steel plate deck

Art. no. 119 836

COMFORT



468 SP-A BIO Silver

- | 46 cm cutting width
- | Suitable for lawns up to 1,400 m²
- | Front wheel drive for energy-saving mulch mowing
- | Powerful AL-KO Pro engine
- | Robust steel plate deck

Art. no. 119 835

COMFORT



MULCH MOWERS	468 P-A BIO Silver	468 SP-A BIO Silver
Category	COMFORT	COMFORT
Cutting width	46 cm	46 cm
For lawns of max. size	1,100 m ²	1,400 m ²
Function	2INONE function	2INONE function
Cutting height / cutting height adjustment	30 – 85 mm / wheel axle, 4-stage	30 – 85 mm / wheel axle, 4-stage
Engine ccm / kW / rpm	AL-KO Pro 125 Quick Start (QSS) 123 / 2.0 / 2,850	AL-KO Pro 145 Quick Start (QSS) 139 / 2.1 / 2,850
Wheel drive	–	1-speed
Mower deck	Steel plate	Steel plate
Wheel diameter, front / rear	205 / 205 mm	220 / 205 mm, ball-bearing mounted at the front
Approx. weight	22.6 kg	26.9 kg
Art. no. / EAN no.	119 836 / 400 371 835 5154	119 835 / 400 371 835 5147

REPLACEMENT BLADE

Art. no.	119 224	119 224
----------	---------	---------



HAND LAWNMOWERS

THE PERFECT GOLF LAWN FOR HOME



Exceptional mowing results thanks to the 5 blades



Above-average comfortable handling



Zero-maintenance and durable



Emissions-free, no noise, no exhaust – no engine!



YOUR ADVANTAGES

- | Zero-contact, lawn-preserving blade technology
- | Lightweight, sturdy housing
- | High-quality, 5-blade mowing cylinder for a precise and accurate cut
- | Extremely manoeuvrable
- | New, easy to operate height adjustment

HAND LAWNMOWERS



MANOEUVRABLE ON THE LAWN

The single-axle design of AL-KO hand lawnmowers ensures extreme manoeuvrability and is comfortable on uneven ground.



FIVE BLADE CYLINDER

The high quality 5 blade mowing cylinder made of hardened special steel ensures a perfect cut and uniform filling of the grass catcher box.



SIMPLE STORAGE

The 38.1 HM Comfort and Premium models can be folded up easily to save space thanks to the integrated quick-release fastener

NEW

28.1 HM Easy

- | 28 cm cutting width
- | 150 m² lawns
- | Lightweight and manoeuvrable – only 6.8 kg in weight
- | XXL wheels for high user comfort

Art. no. 113 864

EASY



NEW

38.1 HM Comfort

- | 38 cm cutting width
- | 250 m² lawns
- | Lightweight and manoeuvrable – only 7.7 kg in weight
- | XXL wheels for high user comfort

Art. no. 113 865

COMFORT



NEW

38.1 HM Premium

- | 38 cm cutting width
- | 250 m² lawns
- | XXL wheels with rubber tyres for high user comfort
- | With easy infinitely adjustable cutting height
- | Including folding handlebar for compact storage

Art. no. 113 866


PREMIUM

**FUNCTIONAL DESIGN**

Lightweight, robust housing with a sleek design and XL wide tyres. The rubber bumper protects the housing from bumps and scratches.

**High-precision trimming**

With a hand lawnmower, you can cut the grass blades as precisely as if you were using scissors. The cutting technique plays an important role in this: The mowing cylinder and the lower blade don't touch each other, which makes the mower particularly gentle on the lawn.



	28.1 HM Easy	38.1 HM Comfort	38.1 HM Premium
Category	EASY	COMFORT	PREMIUM
Cutting width	28 cm	38 cm	38 cm
For lawns of max. size	150 m ²	250 m ²	250 m ²
Cutting height / cutting height adjustment	14 – 35 mm / 4-stage	14 – 35 mm / 4-stage	14 – 45 mm / variable
Mowing cylinder	128 mm / 5 steel blades	128 mm / 5 steel blades	128 mm / 5 steel blades
Blade technology	Cylinder, contactless	Cylinder, contactless	Cylinder, contactless
Wheel diameter	220 mm	220 mm	220 mm
Approx. weight	6.8 kg	7.8 kg	8.9 kg
Art. no. / EAN no.	113 864 / 400 371 806 1819	113 865 / 400 371 806 1826	113 866 / 400 371 806 1833

OPTIONAL GRASS CATCHER

Volume of grass catcher box	35 L	50 L	50 L
Art. no. / EAN no.	113 867 / 400 371 806 1840	113 868 / 400 371 806 1857	113 869 / 400 371 806 1864

SCYTHER MOWER IDEAL HANDLING ON ROUGH TERRAIN



Makes mowing easier
even on rough terrain
and tall grass



Height-adjustable and
with vibration damping



Specially hardened, and therefore
extremely durable, blades



BM 875 III scythe mower

- | Cuts grass as well as thick weeds
- | Universal in application and extremely manoeuvrable
- | Fitted with a moving grass deflector, stopping the build-up of grass
- | Infinitely variable shoes for cutting height adjustment
- | Specially hardened blades with edge protection
- | Powerful Briggs & Stratton engine

Art. no. 113 617



EASY

	BM 875 III
Cutterbar	87 cm
For lawns of max. size	2,000 m ²
Engine ccm / kW / rpm	B&S EXi series 625 150 / 2.3 / 3,200
Drive	1 forward gear (worm gear)
Tyre size (inches)	13 x 5.0-6
Track width	45 cm
Blade drive can be disengaged	✓
Approx. weight	52 kg



COMFORT

YOUR ADVANTAGES

- ✓ WIDE PNEUMATIC TYRES FOR OPTIMAL TRACTION
- ✓ POWERFUL BRIGGS & STRATTON PETROL ENGINE
- ✓ INFINITELY HEIGHT-ADJUSTABLE OUTSOLES
- ✓ 1 FORWARD AND 1 REVERSE GEAR
- ✓ MOVING GRASS DEFLECTOR FOR PERFECT DISCHARGE
- ✓ HEIGHT-ADJUSTABLE & VIBRATION DAMPED HANDLEBAR



Art. no. 127 300



COMFORT

	5001-R III 
Engine ccm / kW / rpm	B&S EXi series 625 150 / 2.3 / 3,200
Cutting width	102 cm
Forward/reverse gear	✓ / ✓
Blade drive can be disengaged	✓
Tyre size (inches)	13 x 6.0-6
Weight	58.0 kg
Art. no. / EAN no.	127 300 / 400 371 805 8628

MANOEUVRABILITY FOR A NATURAL GARDEN

- | In high-grass meadows and ecological natural gardens, machines such as this scythe mower, which can cut meadow grass just as well as thick, matted weeds, are in particular demand.
- | The moveable grass deflector and shorter distance between the wheel and the blades considerably improve grass depositing, while the enclosed drive system on the mower deck with its specially-hardened ESM blade and height-adjustable outsoles ensure a long service life.

SCARIFIERS

PERFECT PREPARATION FOR YOUR SUMMER OUTSIDE



A part of your
lawn care routine



A practical solution –
stowed away quickly
and easily



Lightweight and
comfortable.





WHY SCARIFY?

In addition to regular mulching, lawns should always be scarified in the spring or autumn to allow the lawn to "breathe". The steel blades of the scarifier penetrate the turf and remove lawn thatch, moss and plant remains. After scarifying, the area should be fertilised directly, re-seeded and thoroughly watered. You can scarify and aerate your lawn with just one tool through a simple change of roller.

Electric 38 E Combi Care Comfort

- | 38 cm scarifier working width
- | 800 m² lawns
- | 55-litre grass catcher box made from strong fabric
- | Height-adjustable handlebar
- | Easy-clean housing
- | Includes aerator and scarifier cassettes and grass catcher box
- | **3INONE** function

Art. no. 112 910

COMFORT



■ ■ ENERGY FLEX Battery SF 4036

- | 36 cm scarifier working width
- | 250 m² lawns
- | 50-litre grass catcher box made from strong fabric
- | Height-adjustable, folding handlebar
- | Tool-free roller changing
- | Aerator roller optional
- | **2INONE** function

Art. no. 113 574

COMFORT



Collector included

OPTIONAL AERATOR ROLLER

for Art. no. 113 574

Art. no. 113 621 / EAN no. 400 371 805 8604



Petrol 38 P Combi Care Comfort

- | 38 cm scarifier working width
- | 1,200 m² lawns
- | 55-litre grass catcher box made from strong fabric
- | Height-adjustable handlebar
- | Easy-clean housing
- | Includes aerator and scarifier cassettes and grass catcher box
- | **3INONE** function

COMFORT



YOUR ADVANTAGES

- | **2INONE** function:
Scarifying and grass catching
- | **3INONE** function:
Scarifying, aerating and grass catching
- | Easy roller changing



	ELECTRIC	BATTERY	PETROL
	38 E Combi Care Comfort	SF 4036	38 P Combi Care Comfort
Category	COMFORT	COMFORT	COMFORT
For lawns of max. size	800 m ²	250 m ²	1,200 m ²
Drive	1,300 W	Lithium-ion 40 V max. 4.0 / 5.0 Ah (battery, charger not included- 5.0 Ah battery recommend)	AL-KO 144 F 53 cc/m / 1.3 kW 6,100 rpm
Function	3INONE function	2INONE function	3INONE function
Scarifying roller	14 steel blades	12 steel blades	14 steel blades
Scarifying working width	38 cm	36 cm	38 cm
Aerator roller	24 steel spring tines	*Optional accessory (113 621)	24 steel spring tines
Aerating working width	37 cm	36 cm *accessory	37 cm
Depth adjustment	Central, 5-stage	Central, 5-stage	Central, 5-stage
Housing	Plastic	Plastic	Plastic
Volume of grass catcher box	55 L	50 L	55 L
Approx. weight	15.1 kg	11.7 kg	22 kg
Art. no. / EAN no.	112 910 / 400 371 804 2245	113 574 / 400 371 805 7775	112 799 / 400 371 804 2238

YOUR ADVANTAGES

- | Nimble cultivators for loosening the soil and preparing it for seeding
- | For working shredded material or organic fertiliser into the topsoil
- | Powerful cultivator blades
- | Guiding spur so that tool stays on track
- | High performance even on hard or heavily loamy soils



CULTIVATORS

MH 350-9 LM

- | 35 cm working width
- | AL-KO PRO 140 engine
- | Lightweight and manoeuvrable
- | Height-adjustable handlebar

Art. no. 113 727



EASY

MH 4005

- | 40 cm working width
- | Briggs & Stratton 450E engine
- | For working in medium sized areas
- | Vertically and laterally adjustable handlebar
- | Rear transport wheel

Art. no. 113 255



COMFORT

MH 5007 R

- | 50 cm working width
- | Powerful Briggs & Stratton EXi engine
- | Suitable for large working areas
- | Vertically and laterally adjustable handlebar
- | Including reverse gear for easy manoeuvring on difficult terrain

Art. no. 113 620



PREMIUM



BLADE UNIT EXTENSION

For MH 5007 R
Art. no. 113 275
EAN no. 400 371 805 4729



RIDGE PLOUGH

For MH 4005 / MH 5007 R
Art. no. 113 274
EAN no. 400 371 805 4712

CULTIVATOR BLADES

For MH 350-9 LM / MH 4005
Art. no. 106 676
EAN no. 400 371 801 2224





	MH 350-9 LM	MH 4005	MH 5007 R
Category	EASY	COMFORT	PREMIUM
Working area	Small	Small-medium	Medium
Working width	35 cm	40 cm	50 cm
Engine ccm / kW / rpm	AL-KO Pro 140 OHV 139 / 2.1 / 2,850	B&S E-series 450 125 / 1.7 / 3,000	B&S EXi series 625 OHV 150 / 2.3 / 2,900
Cultivator blades	4-piece, 25 cm diameter	4-piece, 25 cm diameter	4-piece, 32 cm diameter
Forward gear	✓	✓	✓
Reverse gear	–	–	✓
Approx. weight	26 kg	32 kg	39 kg
Art. no. / EAN no.	113 727 / 400 371 806 0485	113 255 / 400 371 805 1643	113 620 / 400 371 805 8567

LAWN ROLLER

SOWING SEEDS OF SUCCESS

To flatten the ground before sowing and pressing in the seeds after sowing, so the grass seed remains where it belongs.



GW 50

Category	PREMIUM
Working width	50 cm
Weight filled with water	62 kg
Weight filled with sand	108 kg
Empty weight	13 kg
Art. no. / EAN no.	119 104 / 400 371 834 7654

Lawn roller GW 50

Handy and sturdy lawn roller made from steel plate – ideal for working in seeds and also for compacting the earth

Can be filled with water or sand

Adjustable dirt scraper

Art. no. 119 104

PREMIUM



COMBI-TOOL

ONE TOOL, MANY
POSSIBILITIES



COMFORT



YOUR ADVANTAGES

- ✓ HEIGHT-ADJUSTABLE AND SWIVELLING HANDLEBAR
- ✓ WORM GEAR UNIT
- ✓ SUITABLE FOR ALL YEAR ROUND
- ✓ V-BELT DRIVE

- ✓ POWERFUL PETROL ENGINE
- ✓ FORWARD & REVERSE GEAR
- ✓ OPTIONAL ATTACHMENTS
- ✓ WIDE PNEUMATIC TYRES FOR OPTIMAL TRACTION






Combi BF 5002-R I


The all-rounder

- Extra-powerful combi tool with cutterbar and deck, tiller and ridge plough
- Ideal for lawn care, soil working and cleanliness
- Can be combined with six different attachments

Art. no. 127 470



COMFORT

COMBI-TOOL	Combi BF 5002-R I 
Engine ccm / kW / rpm	B&S EXi Series 675 163 / 2.74 / 3,200
Forward/reverse gear	✓ / ✓
Speed (FG / RG)	2.2 / 1.1 km/h
Transmission	Oil-bath worm gear, V-belt drive
Tyre size (inches)	13x5.0-6 (pneumatic tyres)
Handlebar	Height-adjustable, pivoting 180°
Weight	45.0 kg
Art. no. / EAN no.	127 470 / 400 371 805 8635

POWER UNIT

ATTACHMENTS



*RS 850 SNOW PLOUGH

Working width 850 mm
Art. no. 113 267 /
EAN no. 400 371 805 3975



KW 1050 SWEEPER

Working width 1050 mm
Art. no. 110 605 /
EAN no. 400 371 802 2896



CB 870 CUTTERBAR

Working width 870 mm
Art. no. 110 494 /
EAN no. 400 371 802 0038




CF 500 TILLER

Working width 500 mm
Art. no. 110 495 /
EAN no. 400 371 802 0045



MOWER ATTACHMENT FSM 530

Working width 530 mm
Art. no. 110 739 /
EAN no. 400 371 802 4630



RIDGE PLOUGH

Art. no. 110 742 /
EAN no. 400 371 802 4661

* To be used in conjunction with snow chains 112 183



GRASS TRIMMERS & BRUSHCUTTERS



TAKING ON ALL TASKS

Whether trimming along a flower bed, a fence, a wall, or even underneath a garden bench, our grass trimmers provide the ability to complete all these tasks in comfort.



VERSATILE IN ALL DIRECTIONS

The ability to turn the trimmer head through 180° means that all lawn edges can be cut accurately. The telescopic aluminium shaft and the flexible handle (depending on the model) ensure the right length and working position.



COMFORTABLE TO USE IN ANY TASK

Our grass trimmers are equipped with loop handles. This provides maximum control when carrying out precise trimming work.

ELECTRIC GRASS TRIMMERS

GTE 350 Classic

- | Aluminium shaft with telescopic section for easily adjusting the tool to the user's body height
- | A protection guard for protecting nearby plants and for maintaining a safe distance from walls

Art. no. 112 928



GTE 450 Comfort

- | 450 W power rating
- | Aluminium shaft with telescopic section for easily adjusting the tool to the user's body height
- | Option to adjust the trimmer head angle
- | Plant protection guard
- | Spare trimmer line spool

Art. no. 112 929



GTE 550 Premium

- | 550 W power rating
- | Aluminium shaft with telescopic section for easily adjusting the tool to the user's body height
- | Option to adjust the trimmer head angle
- | Plant protection guard
- | Spare trimmer line spool

Art. no. 112 926



BATTERY GRASS TRIMMERS & BRUSHCUTTER

Batteries/charger
► Page 7



EASY FLEX GT 2025


- | Lithium-ion 20 V max.
- | Auto bump feed
- | Ideal for small to medium-sized gardens
- | With telescopic shaft
- | Option to adjust the trimmer head angle and protection guard

Also available as
a set (113 633)

Art. no. 113 535



Batteries/charger
► Page 9



ENERGY FLEX 40 BCK

- | Lithium-ion 40 V max.
- | Incredibly lightweight trimmer when combined with a BBA 40 Energy Flex battery belt
- | 3 Tooth metal brush blade
- | Trimmer line spool included
- | Accepts all other attachments in the Energy Flex Multi-Tool range.

Art. no. AK40BCK



Batteries/charger
► Page 9



ENERGY FLEX GT 4030

- | Lithium-ion 40 V max.
- | With telescopic shaft section
- | Incredibly lightweight trimmer when combined with a BBA 40 Energy Flex battery belt
- | Spare line spool included

Art. no. 113 608



Can be used with Energy Flex BBA 40 battery belt ► Page 12



Unless otherwise stated, the battery and charger are not included.



	ELECTRIC		
	GTE 350 Classic	GTE 450 Comfort	GTE 550 Premium
Cutting width	25 cm	30 cm	30 cm
Line type	Nylon double line	Nylon double line	Nylon double line
Line feed	Bump feed	Bump feed	Bump feed
Spare line holder	–	✓	✓
Drive	Electric, 350 W	Electric, 450 W	Electric, 550 W
Shaft tube	Telescopic, aluminium	Telescopic, aluminium	Telescopic, aluminium
Front handle	✓ Adjustable	✓ Adjustable	✓ Adjustable
Telescopic Shaft	✓	✓	✓
Pivoting cutting head	–	✓	✓
Cable length	12 m	12 m	12 m
Approx. weight	2.3 kg	2.9 kg	3.0 kg
Art. no. / EAN no.	112 928 / 400 371 804 4928	112 929 / 400 371 804 4935	112 926 / 400 371 804 4904

REPLACEMENT LINE SPOOL

Art. no. / EAN no.	112 966	112 966	112 966
--------------------	---------	---------	---------

	BATTERY			
	GT 2025	GT 2025 Kit	GT4030	40 BCK
Range	Easy Flex	Easy Flex	Energy Flex	Energy Flex
Cutting width	25 cm	25 cm	30 cm	Nylon Line 30 cm / Blade 23cm
Line / Blade type	Nylon single line	Nylon single line	Nylon single line	Nylon double line / 3 tooth
Line feed	Bump feed	Bump feed	Bump feed	Bump feed
Spare line holder	✓	✓	✓	–
Drive	Battery, lithium-ion, 20 V max. (2.5 Ah / 5.0 Ah)	Battery, lithium-ion, 20 V max. (2.5 Ah / 5.0 Ah)	Battery, lithium-ion, 40 V max. (4.0 Ah / 5.0 Ah)	Battery, lithium-ion, 40 V max. (4.0 Ah / 5.0 Ah)
Max. battery charge time	2.5 Ah: 50 minutes / 5.0 Ah: 100 minutes	2.5 Ah: 50 minutes / 5.0 Ah: 100 minutes	4.0 Ah: 90 minutes / 5.0 Ah: 120 minutes	4.0 Ah: 90 minutes / 5.0 Ah: 120 minutes
Approx. battery run time	2.5 Ah: 30 minutes / 5.0 Ah: 50 Minutes	2.5 Ah: 30 minutes / 5.0 Ah: 50 Minutes	4.0 Ah: 60 Minutes / 5.0 Ah: 80 Minutes	4.0 Ah: 30 Minutes / 5.0 Ah: 40 Minutes
Battery / charger included	– / –	1 x 2.5 Ah battery / 1 charger	– / –	– / –
Shaft tube	Telescopic, aluminium	Telescopic, aluminium	Telescopic, aluminium	Aluminium
Front handle	✓ Adjustable	✓ Adjustable	✓ Adjustable	✓
Telescopic Shaft	✓	✓	✓	–
Pivoting cutting head	✓	✓	✓	✓
Accepts Other Attachments	–	–	–	✓
Approx. weight	2.1 kg (without battery) / 2.4 kg (with battery)	2.1 kg (without battery) / 2.4 kg (with battery)	2.4 kg (without battery) / 3.9 kg (with battery)	2.4 kg (without battery) / 3.9 kg (with battery)
Art. no. / EAN no.	113 535 / 400 371 805 7539	113 633 / 400 371 805 8840	113 608 / 400 371 805 8437	AK40BCK / –

REPLACEMENT LINE HEAD

Art. no.	112 969 (pack of 2)	112 969 (pack of 2)	113 349	113 478 - Line head / 113 479 - Blade
----------	---------------------	---------------------	---------	---------------------------------------

HEDGE TRIMMERS

PERFECT IN FORM DOWN TO THE LAST METRE



High operating comfort thanks to the ergonomic controls



Perfect cutting results thanks to the diamond-sharpened blades



Highly sturdy and robust





HEDGE TRIMMERS



PERFECT CUT AND PROTECTION

Permanently sharp, diamond-polished blades guarantee a clean cut. The safety guard protects the blade when cutting along floors and walls. The cover also serves as a wall mount.



RELAXED WORKING STYLE

Ergonomic controls and a perfectly balanced weight allow stress-free working. And with the battery models which can be combined with the optional BBA 40 battery belt and adapter, you can get the job done in a relaxed way by doing away with cables.



BEST QUALITY

The high-quality plastic housing is highly sturdy and robust, thus guaranteeing that the hedge trimmer has a long service life. The weight has been distributed perfectly so that the hedge trimmers always sit perfectly in your hand.

HEDGE TRIMMERS

ELECTRIC

HT 440 Basic Cut

- | With cable strain relief
- | With integrated spirit level
- | Safety guard & blade cover
- | Alternating, diamond-sharpened cutting blades
- | Two-hand safety switch

Art. no. 112 679



HT 550 Safety Cut

- | Longer 520mm cutter blade
- | With cable strain relief
- | With integrated spirit level
- | Additional cable sleeve (safety cable) prevents the cable from being cut unintentionally
- | Safety guard & blade cover
- | Counter-running cutting blade, diamond-polished

Art. no. 112 680



	ELECTRIC HEDGETRIMMERS	
	HT 440 Basic Cut	HT 550 Safety Cut
Power	440 W	550W
Cutting length	440 mm	520 mm
Max. tooth gap	16 mm	18 mm
Stroke rate	3400 rpm	3200 rpm
Blade type	Diamond-ground	Diamond-ground
Cutting mechanism	Counter-rotating safety blades	Counter-rotating safety blades
Safety cable	–	✓
Cable length	12 m	12 m
Approx. weight	3.2 kg	3.6 kg
Art. no. / EAN no.	112 679 / 400 371 804 0302	112 680 / 400 371 804 0319




HEDGE TRIMMERS

| BATTERY

|| EASY FLEX HTA 2050

- | 510 mm double sided cutter blade
- | Adjustable blade angle
- | Low noise emissions
- | Working height up to 3.5m

Art. no. 113 539




Batteries/charger
► Page 7



|| ENERGY FLEX 40 LRK

- | 450mm double sided cutter blade
- | No petrol, and no harmful exhaust fumes
- | Working height up to 3.5m
- | Adjustable blade angle

Art. no. AK40LRK



Batteries/charger
► Page 9



Can be used with Energy Flex
BBA 40 battery belt ► Page 12

|| EASY FLEX HT 2050

- | With comfortable, round handle
- | Excellent balance and low noise emissions
- | Counter-running, diamond-polished cutting blade (510 mm)
- | With integrated spirit level, safety guard and blade cover

Art. no. 113 536

Batteries/charger
► Page 7

Also available as
a set (113 634)



EASY

|| ENERGY FLEX HT 4055

- | No petrol, and no harmful exhaust fumes
- | Up to 140 minutes running time
- | Can be combined with the BBA 40 battery belt for an even lighter appliance of just 2.8 kg and more comfortable use
- | Battery and charger not included

Batteries/charger
► Page 9



COMFORT

	BATTERY HANDHELD HEDGE TRIMMERS		
	HT 2050	HT 2050 Kit	HT4055
Range	Easy Flex	Easy Flex	Energy Flex
Power	Lithium-ion 20 V max. (2.5 Ah / 5.0 Ah)	Lithium-ion 20 V max. (2.5 Ah / 5.0 Ah)	Lithium-ion 40 V max. (4.0 / 5.0 Ah)
Battery / Charger Included	-/-	1 x 2.5 Ah battery / 1x Charger	-/-
Max. battery charge time	2.5 Ah: 50 minutes 5 Ah: 100 minutes	2.5 Ah: 50 minutes 5 Ah: 100 minutes	4 Ah: 90 minutes 5 Ah: 120 minutes
Approx. battery run time	2.5 Ah: 45 minutes 5 Ah: 80 minutes	2.5 Ah: 45 minutes 5 Ah: 80 minutes	4 Ah: 120 minutes 5 Ah: 140 minutes
Cutting length	510 mm	510 mm	550 mm
Max. tooth gap	15 mm	15 mm	20 mm
Stroke rate	2200 rpm	2200 rpm	1400 rpm
Blade type	Diamond-ground	Diamond-ground	Diamond-ground
Cutting mechanism	Counter-rotating safety blades	Counter-rotating safety blades	Counter-rotating safety blades
Approx. weight	2.5 kg (without battery) 2.8 kg (with battery)	2.5 kg (without battery) 2.8 kg (with battery)	2.5 kg (without battery) 3.9 kg (with battery)
Art. no. / EAN no.	113 536 / 400 371 805 7546	113 634 / 400 371 805 8857	113 609 / 400 371 805 8444



	BATTERY LONG REACH HEDGE TRIMMERS	
	HTA 2050	40 LRK
Range	Easy Flex	Energy Flex
Power	Lithium-ion 20 V max. (2.5 Ah / 5.0 Ah)	Lithium-ion 40 V max. (4.0 / 5.0 Ah)
Battery / Charger Included	-/-	-/-
Max. battery charging time	2.5 Ah: 50 minutes 5.0 Ah: 100 minutes	4 Ah: 90 minutes 5 Ah: 120 minutes
Approx. battery run time	2.5 Ah: 45 minutes 5.0 Ah: 80 minutes	4 Ah: 60 minutes 5 Ah: 75 minutes
Cutting length	510 mm	450 mm
Max. tooth gap	15 mm	20 mm
Stroke rate	2200 rpm	1300 rpm
Blade type	Diamond-ground	Diamond-ground
Cutting mechanism	Counter-rotating safety blades	Counter-rotating safety blades
Max. working height	3.5 m	3.5m
Approx. weight	3.1 kg (without battery)	3.4 kg (without battery)
Art. no. / EAN no.	113 539 / 400 371 805 7546	AK40LRK / -

Unless otherwise stated, the battery and charger are not included.



MULTI-CUTTERS

GS 7.2 Li

- | Can be used for trimming grass and shrubs
- | Light and easy to manoeuvre
- | No memory effect – can be recharged at any time
- | Low battery self-discharge
- | Including grass collector, shrub shears and charging cable

Art. no. 113 371



COMFORT

1, 2 – done!

Thanks to the quick-change system, the blades can be changed within just a few seconds – without tools and without having to get your hands dirty.



GS 7.2 Li	
Battery type	Lithium-ion (7.2 V / 2.0 Ah)
Shrub cutting blade length	160 mm
Shrub cutting area coverage	32 m²
Grass shears cutting width	80 mm
Grass shears cutting performance	450 m
Approx. weight	550 g
Art. no. / EAN no.	113 371 / 400 371 805 6136

Extension handle	
Art. no. / EAN no.	113 477 / 400 371 805 6655

Trim hard-to-reach spots in style

Thanks to the optional extension shaft, longer sections can also be trimmed very comfortably without tiring bending over.



MULTI-TOOL ONE TOOL, MANY POSSIBILITIES



Cut branches, bushes and grass with a single tool



Quiet, precise and without pesky cables




A lightweight all-rounder



MULTI-TOOL

BATTERY



ENERGY FLEX MT 40 base unit

- Lithium-ion 40 V max. / 4 Ah / 5 Ah
- 1 kg without battery / 2.4 kg with battery
- Can be combined with BBA 40 battery belt

Art. no. 113611
EAN no. 400 371 805 8468



Batteries/charger
► Page 9

GTA 4030 trimmer attachment

- With front loop handle and line spool with tap mechanism
- Art. no. 113 614



BCA 4030 brushcutter and trimmer attachment

- With front loop handle, blade and line spool with bump feed
- Art. no. 113 615



	GTA 4030	BCA 4030
Cutting width	30 cm	30 cm line 23 cm blade
Line type	Nylon line	Nylon line
Line feed	Bump feed	Bump feed
Max. battery charge time	4.0 Ah: 90 minutes 5.0 Ah: 120 minutes	4.0 Ah: 90 minutes 5.0 Ah: 120 minutes
Approx. battery run time	4.0 Ah: 30 minutes 5.0 Ah: 40 minutes	4.0 Ah: 30 minutes 5.0 Ah: 40 minutes
Battery / charger included	- / -	- / -
Pivoting cutting head	-	-
Front loop handle	✓ Adjustable	✓
Approx. weight (without battery)	1.8 kg	1.8 kg
Art. no. / EAN nto.	113 614 / 400 371 805 8499	113 615 / 400 371 805 8505

Can be used
with the Energy
Flex battery belt
& BBA 40 adapter

► Page 12



CSA 4020 pruner attachment

| With 70 cm extension shaft and carry strap

Art. no. 113 612



HTA 4045 long reach hedge trimmer

| With 70 cm extension shaft and carry strap

Art. no. 113 613



	CSA 4020	HTA 4045
Cutting method	Chain	Counter-rotating safety blades
Cutting length	200 mm	450 mm
Tooth gap	-	20 mm
Max cut diameter	100 mm	-
Working height	up to 4 m	up to 3.5 m
Max. battery charge time	4.0 Ah: 90 minutes 5.0 Ah: 120 minutes	4.0 Ah: 90 minutes 5.0 Ah: 120 minutes
Approx. battery run time	4.0 Ah: 20 minutes 5.0 Ah: 30 minutes	4.0 Ah: 60 minutes 5.0 Ah: 75 minutes
Speed	4.2 m/s	1300 rpm
Battery / charger included	- / -	- / -
Approx. weight (without battery)	2.2 kg	2.3 kg
Art. no. / EAN no.	113 612 / 400 371 805 8475	113 613 / 400 371 805 8482



MULTI-TOOL SPARE PARTS

BATTERY MULTI-TOOL

REPLACEMENT LINE SPOOL

for GTA 4030 (set of 2)
Art. no. 113 349 /
EAN no. 400 371 805 5627

REPLACEMENT LINE SPOOL

for BCA 4030 (set of 2)
Art. no. 113 478 /
EAN no. 400 371 805 6631

REPLACEMENT BLADE

for BCA 4030
Art. no. 113 479 /
EAN no. 400 371 805 6648

REPLACEMENT CHAIN

for CSA 4020
Art. no. 113 526 /
EAN no. 400 371 805 7508

REPLACEMENT BAR

for CSA 4020
Art. no. 113 534 /
EAN no. 400 371 805 7515

Batteries/charger
► Page 9

LEAF BLOWERS AND BLOWER VACUUMS CLEAR AWAY LEAVES IN A SINGLE STEP



Ideal blowing and vacuuming results thanks to the powerful motor



Cable-free, portable and versatile



Manoeuvrable and comfortable to use





|| EASY FLEX

LB 2060 battery leaf blower

- | Very lightweight, manoeuvrable appliance
- | Lightweight appliance with high blowing power
- | With accelerator lock for comfortable operation

Art. no. 113 537

Batteries/
chargers
► page 7



|| ENERGY FLEX

LB 4060 battery leaf blower

- | Lightweight appliance with high blowing power
- | With high air speed for more demanding work
- | Includes 2 different pipe attachments
- | Rotary control for setting the ideal air stream

Batteries/
chargers
► page 9



For an even more comfortable way to work:
LB 4060 can be used with the BBA 40 battery belt
► page 12





ENERGY FLEX

LBV 4090 battery leaf vacuum/blower


- Blow away and vacuum up leaves with just one appliance
- Rotary control for setting the ideal air stream
- Transport wheels for ease of use
- Shoulder strap

Art. no. 113 662

Batteries /
chargers
► page 9



PREMIUM



	LB 2060	LB 4060	LBV 4090
Category	EASY	COMFORT	PREMIUM
Battery type	Lithium-ion 20 V max. (2.5 Ah / 5.0 Ah)	Lithium-ion 40 V max. (4 Ah / 5 Ah)	Lithium-ion 40 V max. (4 Ah / 5 Ah)
Max. charging time of battery	2.5 Ah: 50 minutes 5.0 Ah: 100 minutes	4 Ah: 90 minutes 5 Ah: 120 minutes	4 Ah: 90 minutes 5 Ah: 120 minutes
Battery / charger included	- / -	- / -	- / -
Air speed	up to 200 km/h	115–250 km/h	150–250 km/h
Flow rate	200 m³/h	330 m³/h	350 m³/h
Pipe attachments	1 (included)	2 (included)	1 (included)
Control	Infinitely variable	Infinitely variable	Infinitely variable
Approx. weight	1.2 kg (without battery) 1.5 kg (with battery)	2.2 kg (without battery) 3.6 kg (with battery)	4.5 kg (without battery) 5.9 kg (with battery)
Art. no. / EAN no.	113 537 / 400 371 805 7553	113 610 / 400 371 805 8451	113 662 / 400 371 805 9090

Unless otherwise stated, the battery and charger are not included.



PETROL LEAF VACUUM

PREMIUM



750 P



- | **The power to handle wet leaves**
- | Leaf blower with 75 cm working width
- | Powerful 2.0 kW engine
- | XXL collecting bag with 200 L volume
- | Zipper at the side for easy emptying
- | Powerful air turbine
- | Housing made from powder-coated steel plate
- | Robust, 2-axis design
- | Ball-bearing mounted wheels
- | Ergonomic handlebar with safety switch

LEAF BLOWERS/BLOWER VACUUMS

Art. no. 127 141

PREMIUM

LEAF VACUUM	750 P	
Engine	140 ccm / 2.0 kW / 3,000 rpm	
Working width	75 cm	
Leaf vacuuming	✓	
Fabric collector	200 L	
Suction height adjustment	Individual wheel, 4-stage	
Chopped material reduction	–	
Turbine housing	Steel plate	
Approx. weight	36.1 kg	
Art. no. / EAN no.	127 141 / 400 371 805 1445	

**GATHER AND
VACUUM LEAVES**

ACCESSORIES



- | **SUCTION HOSE WITH NOZZLE**
- | 3 meter suction hose, for the 750 P leaf vacuum
- | Removes leaves and dirt from the tightest corners
- | Art. no. 120 154 /
- | EAN no. 400 371 854 1731

HANDY BATTERY TOOLS



NEW

WASHING BRUSH

for thorough cleaning
Art. no. 113 876 /
EAN no. 400 371 806 1987



EASY FLEX PW 2040 Pressure Washer

NEW



- Removes dirt without a power or water connection
- Can be used with any water source thanks to the water intake: bucket, lake, water butt, tap
- A screw top bottle can also be used as a water source by using the supplied adapter
- Can also be used for watering plants thanks to the 5 in 1 water nozzle
- Including foam lance and 6 m water intake hose
- Water flow rate: 120 L / hour
- Maximum pressure: 22 bar

Art. no. 113 859



Batteries/
chargers
► page 7



|| EASY FLEX WR 2000 Site Radio

- | USB port and Bluetooth
- | 2x 5 W speakers
- | 5 saved radio station settings, frequencies between FM 87.5 and 108 MHz
- | DAB+
- | Clock and alarm clock
- | Including mains cable

Art. no. 113 631

Batteries/
chargers
► page 7



|| EASY FLEX WL 2020 LED Spotlight

- | 20 W rating
- | 3 light settings (600, 1,000 and 1,600 lumens)
- | 360° adjustable spotlight

Art. no. 113 626

Batteries/
chargers
► page 7



|| EASY FLEX PS 2035 Plant Sprayer

- | For spraying fruit trees, bushes, ornamental plants or for removing weeds
- | Can be used for up to 9 hours on just one battery charge (2.5 Ah)
- | Including measuring cup and shoulder belt

Art. no. 113 697

Batteries/
chargers
► page 7



BATTERY HAND TOOLS

NIMBLE TOOLS
FOR YOUR GARDEN

EASY FLEX

MB 2010 Weed Sweeper

- For cleaning paving stones and decks
- For removing weeds
- 5-stage adjustable cleaning head inclination
- Including telescopic shaft as well as nylon and steel brushes

Art. no. 113 696

Batteries/
chargers
► pages 7



REPLACEMENT BRUSHES FOR MB 2010 WEED SWEEPER

Set of 2 (1x nylon brush + 1x steel brush)
Art. no. 113 717 /
EAN no. 400 371 806 0461



EASY FLEX

HS 2015 Handsaw

- Cutting length 120 mm, cutting thickness Ø 60 mm
- Stroke rate 2200 per minute
- Including 2 metal saw blades

Art. no. 113 625

Batteries/
chargers
► pages 7



REPLACEMENT SAW BLADES

Set of 2 for HS 2015
Art. no. 113 679 /
EAN no. 400 371 805 9274



	PS 2035 Plant Sprayer	WR 2000 Site Radio	WL 2020 LED Spotlight
Battery type	Lithium-ion, 20 V max. (2.5 Ah)	Lithium-ion, 20 V max. (2.5 Ah)	Lithium-ion 20 V max. (2.5 Ah / 5.0 Ah)
Approx. weight	2.0 kg (without battery) 2.3 kg (with battery)	4.5 kg (without battery) 4.8 kg (with battery)	1.7 kg (without battery) 2.0 kg (with battery)
Art. no. / EAN no.	113 697 / 400 371 805 9748	113 631 / 400 371 805 8796	113 626 / 400 371 805 8659

For all handy battery tools, the battery and charger are not included.



EASY FLEX
CSA 2020 Pruner

- Lightweight and handy battery pruner
- Robust, 20 cm long cutter bar for powerful pruning
- Up to 3.5 m working height thanks to the individually adjustable telescopic shaft

Art. no. 113 538

Batteries/
chargers
► pages 7

HS 2015 Handsaw	PW 2040 Pressure Washer	MB 2010 Weed Sweeper	CSA 2020 Pruner
Lithium-ion 20 V max. (2.5 Ah / 5.0 Ah)	Lithium-ion 20 V max. (2.5 Ah / 5.0 Ah)	Lithium-ion 20 V max. (2.5 Ah / 5.0 Ah)	Lithium-ion 20 V max. (2.5 Ah / 5.0 Ah)
1.0 kg (without battery) 1.3 kg (with battery)	1.35 kg (without battery) 1.7 kg (with battery)	1.4 kg (without battery) 1.7 kg (with battery)	3.1 kg (without battery) 3.4 kg (with battery)
113 625 / 400 371 805 8642	113 859 / 400 371 806 1710	113 696 / 400 371 805 9731	113 538 / 400 371 805 7560

CHAINSAWS

WE GIVE YOU OUR LEGENDARY SAWS



On the safe side:
Chain brake, hand
protection bar & quick stop



Maintenance-friendly
thanks to the included
tools and quick-tension
chain wheels



High power and
cutting performance

YOUR ADVANTAGES

- | High power and cutting performance
- | Automatic chain lubrication
- | Chain brake and quick chain stop for maximum safety
- | Perfect ergonomics for stress-free work

CHAINSaws



DOUBLE SAFETY

With the chain brake and hand protection bar with quick chain stop, the highest safety is ensured in any situation, for pleasant and accident-free working.



PERFECT HANDLING

AL-KO chainsaws sit well in the hand thanks to their balanced weight which guarantees comfortable working.



EASY TO USE AND MAINTAIN

Automatic chain lubrication and the viewing pane on the oil tank make it easier to maintain the electric and battery chainsaws.

CS 4030

ENERGY FLEX

- | Quick tensioning and setup
- | Powerful and capable thanks to the brushless motor and proven Energy Flex battery technology
- | No exhaust or power cable

Art. no. 113 616

Batteries /
chargers
► page 9



COMFORT

EKS 2000/35

- | Minimal weight, ensuring less strenuous operation
- | Overload protection in the event of overheating
- | Powerful and high-performance
- | Easy maintenance
- | Quick check of the oil level through window on the oil tank

Art. no. 112 807



EASY

Can be used
with Energy
Flex BBA 40
battery belt
page 12



EKS 2400/40

- | Sleek shape and good results
- | With 40 cm long bar
- | Quick tensioning and setup
- | Powerful and high-performance
- | Simple maintenance

Art. no. 112 808



COMFORT

EKI 2200/40

- | With motor fitted inline
- | 40 cm long bar
- | Quick tensioning and setup
- | Powerful and high-performance
- | Simple maintenance

Art. no. 112 809



PREMIUM

	BATTERY	ELECTRIC		
	CS 4030	EKS 2000/35	EKS 2400/40	EKI 2200/40
Category	COMFORT	EASY	COMFORT	PREMIUM
Drive / power / engine	Battery, lithium-ion 40 V max. (4.0 Ah / 5.0 Ah)	Electric, 2,000 W 230 V / 50 Hz	Electric, 2,400 W 230 V / 50 Hz	Electric, 2,200 W 230 V / 50 Hz
Battery/charger included	- / -			
Tank volume (petrol/oil)	- / 180 ml	- / 150 ml	- / 150 ml	- / 200 ml
Engine layout	-	Crossline	Crossline	Inline
Bar length	30 cm	35 cm	40 cm	40 cm
Saw chain	3/8" / 91P045E	3/8" / 91PJ052X	3/8" / 91PJ056X	3/8" / 91PJ056X
Chain speed	16.3 ± 0.7 m/s	13.5 m/s	13.5 m/s	13.5 m/s
Chain tension	Tool-free	With tool	Tool-free	Tool-free
Chain lubrication	Automatic	Automatic	Automatic	Automatic
Chain brake	✓	✓	✓	✓
Approx. weight	4.45 kg (without battery) 5.81 kg (with battery)	4.8 kg	5.0 kg	5.4 kg
Art. no. / EAN no.	113 616 / 400 371 805 8512	112 807 / 400 371 804 2436	112 808 / 400 371 804 2443	112 809 400 371 804 2450

REPLACEMENT BARS

Art. no. / EAN no.	127 555 (incl. guard) / 400 371 806 0294	413 710	413 633	413 633
-----------------------	---	---------	---------	---------

REPLACEMENT CHAINS

Art. no. / EAN no.	127 200 / 400 371 805 2329	440 476	440 477	440 477
-----------------------	-------------------------------	---------	---------	---------

WOOD SPLITTERS

EFFORTLESSLY SPLIT FIREWOOD FOR WINTER



Extraordinarily and
effortlessly convenient
for keeping a supply of firewood



Space-saving thanks
to compact design



With our powerful motors,
providing splitting force
up to 6 tonnes



SPLITTING FIREWOOD

Using wood splitters allows you to cut down sawn timber effortlessly into manageable blocks of wood. Once split, the wood should be stored in a dry, well ventilated place and should not be stacked too densely. Before the firewood can be burned, it should be seasoned for at least one year, depending on the type of wood, so that it will burn properly and generate a good amount of heat.

WOOD SPLITTERS



EXCEPTIONAL SAFETY

Hand protection, 2-handed operation and cage make using our log splitters not only incredibly safe – they also make working with them an absolute pleasure.



PERFECTLY ADJUSTABLE

An upper guard, rapid return of the splitting blade and an adjustable holder provide the foundations for exceptional productivity.



TABLE INCLUDED

The wood supports on the splitting table keep the wood in the centre of the tool. The split wood is pushed onto the splitting table and from there it is easy and safe to remove. You can even allow the wood to drop into a wheelbarrow or similar container.

WOOD SPLITTERS

ROBUST AND POWERFUL

LSH 370/4

- | Incredibly safe, with protective cover
- | Easy to use, with additional wood support
- | A powerful tool with 4 ton splitting force

Art. no. 113 791



LSH 520/5

- | Comfortable working height
- | Incredibly safe thanks to the protective cover
- | High 5 ton splitting force
- | Stable, optimised splitting wedge

Art. no. 113 792



LSV 550/6

- | Sturdy, torsion-resistant frame
- | High 6 ton splitting force
- | Adjustable splitting length
- | Two-handed operation for safety

Art. no. 113 788



HORIZONTAL WOOD SPLITTERS

- | Powerful wood splitters with splitting force up to 5 tonnes
- | Ideal for splitting firewood up to 520 mm in length
- | Compact and portable
- | Ergonomic and safe to use

VERTICAL WOOD SPLITTERS

- | Powerful for logs up to 550 mm in length
- | Extremely robust construction
- | Easy to move around and store away



	HORIZONTAL		VERTICAL
	LSH 370/4	LSH 520/5	LSV 550/6
Category	EASY	EASY	EASY
Power	1.5 kW / 230 V	2.2 kW / 230 V	3.0 kW / 230 V
Max. splitting force	4 T	5 T	6 T
Max. splitting length	130–370 mm	200–520 mm	100–550 mm
Cable length	6 m	6 m	6 m
Approx. weight	48 kg	60.5 kg	98.2 kg
Art. no. / EAN no.	113 791 / 400 371 806 0768	113 792 / 400 371 806 0775	113 788 / 400 371 806 0744

ALL PRODUCTS, GARDENING EQUIPMENT



NAME	Art. no.	Category	Page	Sound pressure level measured LpA [dB(A)]	Sound power level measured LwA [dB(A)]	Sound power level guaranteed LwA [dB(A)]	Uncertainty factor KpA [dB(A)]	Vibration value ahw (m/s ²)	K-value (m/s ²)
------	----------	----------	------	---	--	--	--------------------------------	---	-----------------------------

ROBOTIC LAWNMOWERS

Robolinho® 450 W	127 618	PREMIUM	32 / 33	—	56	60	—	—	—
Robolinho® 700 W	127 569	PREMIUM	32 / 33	—	56	60	—	—	—
Robolinho® 1200 W	127 570	PREMIUM	32 / 33	—	56	60	—	—	—
Robolinho® 2000 W	127 571	PREMIUM	32 / 33	—	56	60	—	—	—

TRACTORS

R 85.1 Li	127 617	PREMIUM	57 / 59	76.2	89.7	92	3	1.8 / 1.5	1.5
R 7-63.8 A	127 486	COMFORT	58 / 59	89	96	98	2	2 / 3.4	2
R 7-65.8 HD	127 487	PREMIUM	58 / 59	89	96	98	2	2 / 3.4	2
T 15-93.9 HDS-A	127 574	COMFORT	66 / 67	90	98	100	2	2 / 4	2
T 22-111.7 HDS-A V2	127 445	COMFORT	66 / 67	90	98	100	2	2 / 4	2
T 15-93.7 HD-A	127 417	COMFORT	68-71	90	98	100	2	2 / 4	2
T 15-103.7 HD-A	127 418	COMFORT	68-71	90	98	100	2	2 / 4	2
T 13-93.7 HD	127 416	COMFORT	68-71	90	98	100	2	2 / 4	2
T 16-93.7 HD V2	127 443	COMFORT	68-71	90	98	100	2	2 / 4	2
T 16-103.7 HD V2	127 444	COMFORT	68-71	90	98	100	2	2 / 4	2
T 16-95.6 HD V2	127 369	PREMIUM	78-81	90	98	100	2	2 / 4	2
T 16-105.6 HD V2	127 370	PREMIUM	78-81	90	98	100	2	2 / 4	2
T 20-105.6 HD V2	127 371	PREMIUM	78-81	90	98	100	2	2 / 4	2
T 20-105.6 HDE V2	127 376	PREMIUM	78-81	90	98	100	2	2 / 4	2
T 22-110.0 HDH-A V2	127 575	COMFORT	76-81	87.1	97.1	98	2	2 / 4	2
T 23-125.6 HD V2	127 384	PREMIUM	78-81	94	104	105	2	2 / 4	2





NAME	Art. no.	Category	Page	Sound pressure level measured LpA [dB(A)]	Sound power level measured LwA [dB(A)]	Sound power level guaranteed LwA [dB(A)]	Uncertainty factor KpA [dB(A)]	Vibration value ahw (m/s ²)	K-value (m/s ²)
------	----------	----------	------	---	--	--	--------------------------------	---	-----------------------------

LAWNMOWERS

Battery lawnmowers									
34.8 Li	113 540	EASY	41 / 44	77.0	87.0	90.0	3.0	3.4	1.5
3.29 Li	113 663	EASY	41 / 44	85.0	95.0	96.0	1.0	8.0	1.0
3.85 Li	113 278	EASY	41 / 45	85.0	95.0	96.0	1.0	8.0	1.0
Moweo 42.0 Li	119 933	COMFORT	43 / 45	79.9	91.4	92.0	0.6	2.5	1.5
Moweo 42.1 Li SP	119 992	COMFORT	43 / 45	79.9	91.4	92.0	0.6	2.5	1.5
Moweo 46.0 Li SP	119 934	COMFORT	43 / 45	80.4	90.4	91.0	0.6	2.5	1.5
Electric lawnmowers									
34 E Comfort	112 857	COMFORT	48 / 49	80.0	88.0	90.0	2.0	8.0	1.0
40 E Comfort	112 858	COMFORT	48 / 49	84.0	92.0	94.0	2.0	8.0	1.0
Petrol lawnmowers									
Easy 4.20 P-S	113 794	EASY	51 / 52	84.5	94.5	96.0	3.0	8.16	1.5
Easy 4.60 SP-S	113 795	EASY	51 / 52	81.7	93.9	96.0	3.0	8.16	1.5
Easy 5.10 SP-S	113 796	EASY	51 / 52	84.6	94.6	98.0	3.0	7.51	1.5
Comfort 42.1 P-A	119 998	COMFORT	53 / 56	84.2	94.2	95.0	2.0	6.0	2.0
Comfort 42.1 SP-A	119 993	COMFORT	54 / 56	O.R.*	O.R.*	O.R.*	O.R.*	O.R.*	O.R.*
Comfort 46.0 SP-A	119 938	COMFORT	54 / 56	84.3	94.3	95.0	2.0	6.0	2.0
Comfort 51.0 SP-A	119 944	COMFORT	55 / 57	86.8	96.8	98.0	2.0	6.0	2.0
Comfort 46.0 SP-B	119 937	COMFORT	55 / 57	85.1	95.1	96.0	2.0	6.0	2.0
Comfort 51.0 SP-B	119 943	COMFORT	56 / 57	85.8	95.8	96.0	2.0	6.0	2.0
Premium 470 SPI-A	119 945	PREMIUM	61 / 62	83.4	93.4	95.0	2.0	6.0	2.0
Premium 470 VS-B	119 947	PREMIUM	61 / 63	85.1	95.1	96.0	2.0	6.0	2.0
Premium 470 SP-H	119 968	PREMIUM	61 / 63	84.6	94.6	96.0	2.0	6.0	2.0
Premium 520 VS-B	119 949	PREMIUM	61 / 63	87.0	97.0	98.0	2.0	6.0	2.0
Premium 520 SP-H	119 969	PREMIUM	62 / 63	86.8	96.8	98.0	2.0	6.0	2.0
Premium 521 VS-H	119 994	PREMIUM	62 / 63	O.R.*	O.R.*	O.R.*	O.R.*	O.R.*	O.R.*
Premium 520 VSI-B	119 948	PREMIUM	63	87.0	97.0	98.0	2.0	6.0	2.0

MULCH MOWERS

468 P-A BIO Silver	119 836	COMFORT	71	86.0	95.0	96.0	2.0	6.0	2.0
468 SP-A BIO Silver	119 835	COMFORT	71	86.0	95.0	96.0	2.0	6.0	2.0

SCYTHE MOWERS

BM 875 III	113 617	COMFORT	75	87.4	97.0	99.0	2.0	16.07	6.43
5001-R III	127 300	COMFORT	103	90	102	104	2.0	25.66	10.4

*O.R. = on request



NAME	Art. no.	Category	Page	Sound pressure level measured LpA [dB(A)]	Sound power level measured LwA [dB(A)]	Sound power level guaranteed LwA [dB(A)]	Uncertainty factor KpA [dB(A)]	Vibration value ahw (m/s ²)	K-value (m/s ²)
------	----------	----------	------	---	--	--	--------------------------------	---	-----------------------------

I SCARIFIERS

Electric scarifiers									
38 E Combi Care Comfort	112 910	COMFORT	73 / 74	86.0	93.0	99.0	6.0	8.0	1.5
Battery scarifiers									
SF 4036	113 574	COMFORT	74	82.0	90.0	96.0	6.0	5.0	1.5
Petrol scarifiers									
38 P Combi Care Comfort	112 799	COMFORT	74	88.0	97.0	99.0	2.0	10.0	1.5

I CULTIVATORS

MH 350-9 LM	113 727	EASY	108 / 109	79.1	92.0	93.0	1.0	5.5	—
MH 4005	113 255	COMFORT	109	78.9	91.9	93.0	1.1	8.6	4.3
MH 5007 R	113 620	PREMIUM	109	76.9	89.0	93.0	1.0	7.2	3.6

I COMBI-TOOL

BF 5002 R	127 470	PREMIUM	105	80	92	93	2	5.5	0.7
-----------	---------	----------------	-----	----	----	----	---	-----	-----

I TRIMMERS AND BRUSHCUTTERS

Electric trimmers/brushcutters									
GTE 350 Classic	112 928	EASY	85 / 86	85.8	94.0	96.0	2.0	3.15	2.5
GTE 450 Comfort	112 929	COMFORT	85 / 86	85.4	94.0	96.0	2.0	3.15	2.5
GTE 550 Premium	112 926	COMFORT	85 / 86	83.6	94.0	96.0	2.0	3.15	2.5
Battery trimmer									
GT 2025	113 535	EASY	83 / 84	73.8	94.0	96.0	2.0	2.5	2.5
GT 4030	113 608	COMFORT	84	70.6	90.6	96.0	3.0	2.5	1.5
40 BCK	AK40BCK	COMFORT	92 / 93	80.0	93.0	96.0	3.0	≤ 4.4	1.5

I HEDGE TRIMMERS & MULTI-CUTTER

Electric hedge trimmers									
HT 440 Basic Cut	112 679	EASY	102	86.0	99.0	100.0	—	2.2	—
HT 550 Safety Cut	112 680	COMFORT	102	86.0	97.0	98.0	—	2.9	—
Battery hedge trimmers									
HT 2050	113 536	EASY	101 / 102	90.0	84.5	87.0	2.5	1.5	1.5
HT 4055	113 609	COMFORT	101 / 102	64.2	84.2	87.0	3.0	2.5	1.5
40 LRK	AK40LRK	COMFORT	92 / 93	O.R.*	O.R.*	O.R.*	O.R.*	O.R.*	O.R.*
Battery multi-cutters									
GS 7.2 Li	113 371	COMFORT	103	75.0	78.0	79.0	1.0	≤ 2.5	1.5

NAME	Art. no.	Category	Page	Sound pressure level measured LpA [dB(A)]	Sound power level measured LwA [dB(A)]	Sound power level guaranteed LwA [dB(A)]	Uncertainty factor KpA [dB(A)]	Vibration value ahw (m/s ²)	K-value (m/s ²)
------	----------	----------	------	---	--	--	--------------------------------	---	-----------------------------

I MULTI-TOOL

MT 40	113 611	COMFORT	92 / 93	O.R.*	O.R.*	O.R.*	O.R.*	O.R.*	O.R.*
GTA 4030	113 614	COMFORT	92 / 93	81.0	93.0	96.0	3.0	≤ 2.5	1.5
BCA 4030	113 615	COMFORT	92 / 93	80.0	93.0	96.0	3.0	≤ 4.4	1.5
CSA 4020	113 612	COMFORT	92 / 93	73.0	87.0	93.0	96.0	≤ 2.5	1.5
HTA 4045	113 613	COMFORT	92 / 93	O.R.*	O.R.*	O.R.*	O.R.*	O.R.*	O.R.*
40 PPLRK	AK40PPLRK	COMFORT	92 / 93	O.R.*	O.R.*	O.R.*	O.R.*	O.R.*	O.R.*

I LEAF BLOWERS/BLOWER VACUUMS

Battery leaf blowers/blower vacuums									
LB 2060	113 537	EASY	97	74.0	85.0	88.0	3.0	2.0	0.5
LB 4060	113 610	COMFORT	97	79.5	95.5	96.0	3.0	2.0	1.5
LBV 4090	113 662	PREMIUM	97	86.9	99.5	102.0	3.0	< 1.91	1.5
Petrol leaf vacuum									
750 P	127 141	PREMIUM	110 / 111	86	96	98	2	6	2

I BATTERY HAND TOOLS

PW 2040	113 859	EASY	104 / 107	75.1	86.1	91.1	3.0	0.84	1.5
PS 2035	113 697	EASY	105 / 106	45.4	56.4	–	3.0	0.182	1.5
HS 2015	113 625	EASY	106 / 107	4.0	95.0	98.0	3.0	11.76	1.5
MB 2010	113 696	EASY	106 / 107	62.5	82.5	–	3.0	1.85	1.5
CSA 2020	113 538	EASY	107	72.0	86.0	92.0	3.0	2.5	1.5
HTA 2050	113 539	EASY	107	80.0	91.0	93.0	2.0	2.5	1.5

I CHAINSAWS

Battery chainsaws									
CS 4030	113 616	COMFORT	117 / 118	87.0	98.5	101.0	2.5	2.1 / 2.4	2.0
Electric chainsaws									
EKS 2000/35	112 807	EASY	117 / 118	96.0	108.0	110.0	3.0	5.05	3.0
EKS 2400/40	112 808	COMFORT	117 / 119	95.0	108.0	110.0	3.0	5.95	3.0
EKI 2200/40	112 809	PREMIUM	117 / 119	94.0	106.0	108.0	3.0	5.06	3.0

I LOG SPLITTERS

LSH 370/4	113 791	EASY	122 / 123	89.8	91.0	96.0	3.0	–	3.0
LSH 520/5	113 792	EASY	122 / 123	89.8	92.7	95.7	3.0	–	3.0
LSV 550/6	113 788	EASY	122 / 123	89.8	94.4	97.4	3.0	–	3.0

Subject to technical changes. *O.R. = on request

SPARE PARTS

OUR EXPERTISE IS IN YOUR SAFETY AND COMFORT

AL-KO Gardentech stands for the highest level of quality. For example, our products stand out with their impressive durability, even when they are in frequent use. However, wear and tear or repairs may require replacement of parts. In such cases, you should always choose AL-KO genuine spare parts and accessories because top quality and guaranteed safety can only be expected from components which match the technical and quality characteristics of every AL-KO product down to the finest detail.

That's why in the UK most of the necessary genuine spare parts and accessories can be purchased at any time. This is a service which keeps downtimes for your equipment at a minimum. Moreover, using AL-KO genuine spare parts and accessories is the only way to ensure that all mutually optimised appliance components are at full functionality and to guarantee the high quality and reliability of the AL-KO product. Indeed, the product warranty is only effective, and in case of repair will only remain valid, provided AL-KO genuine spare parts and accessories are used.

Our AL-KO genuine spare parts have other benefits as well. Each improvement made to the series-produced products is conferred to the associated genuine spare parts. Whether it's a simple screw or a sophisticated control board, all genuine AL-KO and solo by AL-KO parts are designed based on a wealth of expertise acquired through many decades of manufacturing prowess.

Our authorised service partners can also benefit from using AL-KO genuine spare parts and accessories. Components that always fit perfectly ensure short repair times and enable cost-effective repair jobs.

In brief: Safe, high-quality and always right – with AL-KO genuine spare parts and accessories, you'll always make the right choice for repairs or maintenance. That forms the basis for the lasting and reliable use of the products.



Scan the QR code to find an AL-KO service agent near you





AL-KO GARDENTECH UK LTD

Murray Way
Wincanton Business Park
Wincanton
Somerset
BA9 9RS

Visit us at:



@alkogardentech_uk



facebook.com/ALKOGardenUK



AL-KO Gardentech UK

Tel: +44 (0)1963 828055
shop.uk@al-ko.com
www.al-ko.com/garden

Scan to find your local dealer



Provided by your solo by AL-KO partner:



Subject to price changes and technical changes.
No liability accepted for mistakes and printing errors.
Order number 2301010 (EN) / 01-2021

Registration number for disposal of waste electrical and electronic equipment:
WEEE Reg. No. WEE/CK0045SY/PRO
P/N POSBROAK21